Journal of
APPLIED POLYMER SCIENCE

Volume 70, 1998

EDITOR

Eric Baer
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

FOUNDING EDITOR

Herman F. Mark

ASSOCIATE EDITORS

Martin J. Guest
Polymer Center
Dow Chemical Company
B 1470-D
Freeport, TX 77541

William G. Perkins
Shell Chemical Company
130 Johns Avenue
Akron, OH 44305-4097

Robert A. Shick
BF Goodrich
9921 Brecksville Road
Brecksville, OH 44141-3289

Brian W. Pengilly
430 Delaware Avenue
Akron, OH 44303-1236

David A. Schiraldi
Trevira Co.
P.O. Box 5750
Spartanburg, SC 29304-5759

Debra L. Wilfong
3M Masking and Packaging
Systems Division
3M Center, Building 230-1S-10
St. Paul, MN 55144-1000

EDITORIAL BOARD

A.-C. Albertsson
A. N. Banerjee
B. M. Baysal
N. M. Bikales
W. Bonfield
L. Brannon-Peppas
G. Capaccio
S. H. Carr
M. Carrega
P. Cebe
R. E. Cohen
J. R. Collier
J. M. G. Cowie
A. Crowson
J. M. DeSimone
A. T. DiBenedetto
G. W. Ehrenstein
M. S. El-Aasser
L. Fina
F. Garbassi
P. H. Geil
G. Gillberg
W. Glasser
M. Hallden-Abberton
I. R. Harrison
A. Hiltner
R. Ikeda
A. I. Isayev
P. Juliano
S. H. Kandil
J. L. Kardos
A. Keller
F. N. Kelley
B. K. Kim
K. Kishore
L. Konczol
M. Kryszewski
C. Lacabanne
J. L. Leblanc
L. Manring
K. Matsushige
K. Mauritz
G. Mayer
J. W. Mays
S. McCarthy
P. Molyneux
C. L. Myers
L. Nicolais
I. Noda
R. M. Nowak
N. Ogata
E. F. Oleynik
D. R. Paul
N. A. Peppas
N. A. Plate
G. Poehlein
R. S. Porter
R. E. Prud'homme
M. Raab
R. Raghava
L. Rebenfeld
F. Rodriguez
H. P. Schreiber
L. Shi
A. Siegmann
A. W. Snow
L. H. Sperling
D. R. Squire
J. Summers
R. Vera-Graziano
I. M. Ward
G. Wilkes
K. J. Wynne

Editorial Production, John Wiley: Glenn Beck, Ed Connor, Alyson Linefsky

The *Journal of Applied Polymer Science* (ISSN 0021-8995) is published weekly, four volumes per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.
Copyright © 1998 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (508) 750-8400, fax (508) 750-4470. Periodicals postage paid at New York, NY, and at additional mailing offices.

The code and copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law.

This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price (Volumes 67–70, 1998): $8,395.00 in US, $8,915.00 in Canada and Mexico, $9,305.00 outside North America. All subscriptions outside US will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please call (212) 850-6645 or e-mail: SUBINFO@wiley.com.

Postmaster: Send address changes to *Journal of Applied Polymer Science,* Caroline Rothaug, Director, Subscription Fulfillment and Distribution, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Advertising/Sales: Inquiries concerning advertising should be forwarded to Susan Levey, Advertising Sales, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158, (212) 850-8832. Advertising Sales, European Contacts: Bob Kern or Nicky Douglas, John Wiley & Sons, Ltd., Baffins Lane, Chichester, West Sussex PO19 1UD, England. Tel: 44 1243 770 350/367; Fax: 44 1243 770 432; e-mail: adsales@wiley.co.uk

Reprints: Reprint sales and inquiries should be directed to the Customer Service Department, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158. Tel.: 212-850-8776.

Other Correspondence: Address all other correspondence to: *Journal of Applied Polymer Science,* Publisher, Interscience Division, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

The contents of this journal are indexed or abstracted in *Applied Mechanics Reviews, Chemical Abstracts, Chemical Titles, Current Contents/Engineering, Technology, and Applied Sciences, Current Contents/Physical, Chemical, and Earth Sciences, Engineering Index, Excerpta Medica, RAPRA Abstracts, Research Alert (ISI), Science Citation Index (ISI),* and *SCISEARCH Database (ISI).*

This paper meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper). ♾

Journal of Applied Polymer Science

Author Index to Volume 70

Abdelaziz, M. See Tawansi, A., 1437, 1759
Abdel-Hamid, M. I. See Migahed, M. D., 859
Abd-El Messieh, S. L. See El-Sabbagh, S., 2053; Younan, A. F., 2061
Abdelrazek, E. M. See Tawansi, A., 1437, 1759
Abis, L. See Skarżyński, M., 675
Abo-El Wafa, A. M. See Migahed, M. D., 859
Abu-Sharkh, B. See Shaikh, S., 2499
Acosta, J. L. See del Río, C., 2181
Advani, S. G. See Benard, A., 1677
Ahmad, Z. See Sarwar, M. I., 297
Ahmed, E. See Tawansi, A., 1759
Aiswaryakumari, K.
—; Sreekumar, K.: Hydrolysis of Active Esters by Polymer-Supported Oximes: Influence of Macromolecular Characters, 493
Akar, A. See Kizilcan, N., 655
Akashi, M. See Sakamoto, N., 965
Akhtar, M. N. See Atiqullah, M., 137
Akopova, T. A. See Rogovina, S. Z., 927
Albalak, R. J. See Mukai, U., 1985
Albertsson, A.-C.
—; Renstad, R.; Erlandsson, B.; Eldsäter, C.; Karlsson, S.: Effect of Processing Additives on (Bio)degradability of Film-Blown Poly(ϵ-caprolactone), 61
—; See Tall, S., 2381
Ali-Asghar, M. See Rouhallah, B., 367
Ali, K. M. I. See Ali, M. A., 843
Ali, M. A.
—; Khan, M. A.; Ali, K. M. I.; Hinrichsen, G.: Mechanical Studies of Methyl Methacrylate Treated Jute and Flax Fibers under UV Radiation, 843
Ali, S. K. A. See Shaikh, S., 2499
Al-Jarallah, A. See Shaikh, S., 2499
Allen, D. J. See Wirasate, S., 1299
Al-Nafaa, M. See Shaikh, S., 2499
Alva, K. S.
—; Samuelson, L.; Kumar, J.; Tripathy, S.; Cholli, A. L.: Enzyme-Catalyzed Polymerization of 8-Hydroxyquinoline-5-sulfonate by *In Situ* Nuclear Magnetic Resonance Spectroscopy, 1257
Ameri, A.
—; Siesler, H. W.: Reho-Optical Fourier-Transform Near-Infrared Spectroscopy of Poly(DimethylSiloxane)/Poly-(Carbonate) Block Copolymers, 1349
Amornsakchai, T.
—; Kubota, H.: Photoinitiated Grafting of Methyl Methacrylate on Highly Oriented Polyethylene: Effect of Draw Ratio on Grafting, 465
Andreopoulos, A. G.
—; Tarantili, P. A.: Water Sorption Characteristics of Epoxy Resin-UHMPE Fibers Composites, 747
Antony, P.
—; De, S. K.: Synergism in Properties of Ionomeric Polyblends Based on Zinc Salts of Maleated High-Density Polyethylene and Carboxylated Nitrile Rubber, 483
Anttila, U. See Vocke, C., 1923
Aranguren, M. I. See Marcovich, N. E., 2121
Arda, E. See Pekcan, Ö., 339
Areso, S. See García-Martínez, J. M., 689
Argade, A. B.
—; Peppas, N. A.: Poly(acrylic acid)–Poly(vinyl alcohol) Copolymers with Superabsorbent Properties, 817
Asabe, H. See Ohtake, Y., 1643
Ashraf, S. M. See Verghese, M. M., 1447
Atiqullah, M.
—; Hammawa, H.; Akhtar, M. N.; Khan, J. H.; Hamid, H.: Nonisothermal, Uncontrolled Homo- and Copolymerization of Ethylene Using Selected Zirconocenes, 137
Aucejo, S.
—; Pozo, M. J.; Gavara, R.: Effect of Water Presence on the Sorption of Organic Compounds in Ethylene–Vinyl Alcohol Copolymers, 711
Audisio, G. See Bertini, F., 2291
Ayad, M. I. See Tawansi, A., 1437

Baer, E. See Chen, H., 109; Mueller, C., 2021
Bae, Y. C. See Jang, J. G., 1143
Bagheri, R. See Golozar, M. A., 2507
Bai, F. See Zheng, M., 599
Baird, M. C. See Shan, C. L. P., 2679
Bajaj, P. See Gupta, A. K., 2703
Bakar, M. See Harani, H., 2603
Baker, W. E. See Shan, C. L. P., 2679
Balakrishnan, S. See Mishra, S., 1829
Balke, S. T. See Mourey, T. H., 831
Banerjee, M. See Chowdhury, P., 523
Bao, J. See Xu, W., 2343
Barrett, W. M., Jr. See Stessel, R. I., 2097
Baudrion, F.
—; Perichaud, A.; Coen, S.: Chemical Modification of Hydroxyl Functions: Introduction of Hydrolyzable Ester Function and Bactericidal Quaternary Ammonium Groups, 2657

Bayram, G.
—; Yilmazer, Ü.; Orbey, N.: Viscoelastic Properties of Suspensions with Weakly Interacting Particles, 507
Bekturov, E. A. See Mamleev, V. SH., 1523
Bellander, M. See Malmström, J., 449
Bellare, A. See Mukai, U., 1985
Beltrame, P. L. See Bertini, F., 2291
Beltrán, M. I. See Hidalgo, M., 865
Benard, A.
—; Advani, S. G.: An Analytical Model for Spherulitic Growth in Fiber-Reinforced Polymers, 1677
Bendaikha, T. See Decker, C., 2269
Bergamasco, L. See Bertini, F., 2291
Bertini, F.
—; Audisio, G.; Beltrame, P. L.; Bergamasco, L.; Castelli, A.: Hydrous Pyrolysis of Silica-Supported Polystyrene, 2291
Bhat, N. V.
—; Wavhal, D. S.: Preparation and Characterization of Plasma-Polymerized Thiophene Films, 203
Bhattacharyya, D. See Rangarajan, P., 1239
Bian, D.-C. See Sheng, J., 805
Bikiaris, D.
—; Panayiotou, C.: LDPE / Starch Blends Compatibilized with PE-*g*-MA Copolymers, 1503
Bikiaris, D. N.
—; Karayannidis, G. P.: Dynamic Thermomechanical and Tensile Properties of Chain-Extended Poly(ethylene terephthalate), 797
Binga, T. D. See Fitzgerald, J. J., 1633
Bitay, J. F. See McCarthy, T. F., 2211
Blanchard-Desce, M. See Del Zoppo, M., 1311
Blom, H. P.
—; Gauthier, M.; Li, K.; Nielsen, K. E.: Soap-Free Emulsion Polymerization of *n*-Butyl Acrylate: Copolymerization with 1,1-(Dimethyl)-1-(3-Methacryloxyethyl)-1-(Sulfopropyl)Ammonium Betaine, 227
—; Teh, J. W.; Rudin, A.: PP/PE Blends. IV. Characterization and Compatibilization of Blends of Postconsumer Resin with Virgin PP and HDPE, 2081
Boerio, F. J. See Tsai, Y. M., 1283
Bogdanov, B.
—; Zagortcheva, M.; Gjurova, K.; Popov, A.: Thermal Behavior of Blends Based on High-Molecular Polyoxyethylene and Salts from Seawater and Sea Lye, 995
Brar, A. S.
—; Malhotra, M.: Sequencing of Methyl Methacrylate/Vinylidene Chloride Copolymers by NMR Spectroscopy, 373
Bravo, O.
—; Marriaga, N.; Laverde, D.; Correa, R.: Constant Voltage Electrodeposition of Poly(vinylidene chloride) Emulsions, 2479
Briscoe, B.
—; Luckham, P.; Zhu, S.: Rheological Properties of Poly(ethylene oxide) Aqueous Solutions, 419
Bui, V. T. See Raymond, M.-P., 1649

Cakmak, M.
—; Robinette, J.; Schaible, S.: Structure Development and Dynamics of Vibration Welding of Poly(ethylene naphthalate) from Amorphous and Semicrystalline Precursors, 89
Cao, W.
—; Yang, L.; Luo, H.: Interaction of Sodium Dodecyl Sulfate with Polyelectrolyte Complex from Diazoresin and Poly(sodium styrene sulfonate) in Aqueous Solution, 1817
Capaccio, G. See Mueller, C., 2021
Cassagnau, P. See Fras, I., 2391
Cassignol, C.
—; Olivier, P.; Ricard, A.: Influence of the Dopant on the Polypyrrole Moisture Content: Effects on Conductivity and Thermal Stability, 1567
Castelli, A. See Bertini, F., 2291
Castiglioni, C. See Del Zoppo, M., 1311
Çaykara, T.
—; Güven, O.: Effect of Preparation Methods on Thermal Properties of Poly(acrylic acid)/Silica Composites, 891
Chaix, C.
—; Minard, C.; Delair, T.; Pichot, C.; Mandrand, B.: Oligonucleotide Synthesis on Maleic Anhydride Copolymers Covalently Bound to Silica Spherical Support and Characterization of the Obtained Conjugates, 2487
Chandra, R. See Mishra, S., 1829
Chandy, T.
—; Mooradian, D. L.; Rao, G. H. R.: Chitosan/Polyethylene Glycol–Alginate Microcapsules for Oral Delivery of Hirudin, 2143
Chang, S.-S. See Yeh, J.-T., 149
Chan, W.-H.
—; Ng, C.-F.; Lam, T.-S.; Leung, L. M.: Synthesis, Characterization, and Pervaporation Performance of Random Copolymers of Poly(amidesulfonamide)s (PASAs), 47
Chee, K. K.
Molecular Weight Dependence of Surface Tension of Polystyrene as Studied by the Corresponding States Principle, 697
Cheikhalard, T.
—; Massardier, V.; Tighzert, L.; Pascault, J. P.: Block Copolymers Derived from 2,2′-Azobis(2-cyanopropanol). I. Synthesis of Poly(urethane-*block*-methyl methacrylate) and Poly(urethane-*block*-styrene), 613
Chen, G. See Murthy, N. S., 2527
Cheng, W.-H. See Kao, C.-Y., 1939
Cheng, Y.-L. See Peng, T., 2133
Chen, H.
—; Guest, M. J.; Chum, S.; Hiltner, A.; Baer, E.: Classification of Ethylene–Styrene Interpolymers Based on Comonomer Content, 109

Chen, J.
—; Tan, H.; Chen, K.; Nie, L.; Yao, S.: The Study of Diffusion of Media in the Organic Coating Films by BAW Admittance Analysis, 2283
Chen, J. See Dai, Q., 1159
Chen, K. See Chen, J., 2283
Chen, T.-S. See Hu, A. T., 1747
Chen, W.
—; Lofgren, E. A.; Jabarin, S. A.: Microstructure of Amorphous and Crystalline Poly(ethylene terephthalate), 1965
Chen, X. See Lang, M., 1427
Chen, Y.
—; Tsai, C.-H.: Reversible Photoreaction of C_{60}-Containing Poly(vinyl alcohol), 605
Chern, Y. C. See Han, J. L., 529
Chiu, H.-T.
—; Wang, J.-H.: Characterization of the Rheological Behavior of UHMWPE Gels Using Parallel Plate Rheometry, 1009
Cho, H. S.
—; Chung, J. S.; Han, J. H.; Ko, Y. G.; Lee, W. Y.: Polymerization of Ethylene and Ethylene/1-Hexene over Ziegler–Natta/Metallocene Hybrid Catalysts Supported on $MgCl_2$ Prepared by a Recrystallization Method, 1707
Choi, C.-H. See Kim, Y. C., 2187
Choi, J. H.
—; Kwak, S.-Y.; Kim, S. Y.; Kim, J. S.; Kim, J.-J. : Effect of Molecular Structure of Polyarylates on the Compatibility in Polyarylate/Poly(vinyl chloride) Blends, 2173
Choi, K. Y. See Crowley, T. J., 1017
Cholli, A. L. See Alva, K. S., 1257
Chowdhury, P.
—; Banerjee, M.: Graft Polymerization of Methyl Methacrylate onto Polyvinyl Alcohol Using Ce^{4+} Initiator, 523
Chu, C.-C. See Won, C.-Y., 953
Chu, F.
—; Graillat, C.; Guyot, A.: High Solid Content Multisized Emulsion Copolymerization of Styrene, Butyl Acrylate, and Methacrylic Acid, 2667
Chum, S. See Chen, H., 109
Chung, J. S. See Cho, H. S., 1707
Chung, T. S.
—; Loh, K.-C.; Tay, H. L.: Development of Polysulfone Membranes for Bacteria Immobilization to Remove Phenol, 2585
Ciolacu, R.-G. See Poinescu, I., 1579
Coen, S. See Baudrion, F., 2657
Cohen, R. E. See Mukai, U., 1985
Coleman, M. See Painter, P., 1273
Coleman, M. M. See Hu, Y., 1265
Collar, E. P. See García-Martínez, J. M., 689
Compañ, V. See Villaluenga, J. P. G., 23
Cong, G. See Liao, B., 2075
Correa, R. See Bravo, O., 2479
Crowley, T. J.
—; Choi, K. Y.: Control of Molecular Weight Distribution and Tensile Strength in a Free Radical Styrene Polymerization Process, 1017
Cui, Y. See Liu, S., 2371
Cunningham, M. F. See Shan, C. L. P., 2679
Cutlip, M. B. See Lin, J.-C., 121
Cynkowska, G. See Skarżyński, M., 675

Dai, Q.
—; Chen, J.; Huang, Y.: Toughening of Epoxy Resin Blended with Thermotropic Hydroxyethyl Cellulose Acetate, 1159
Dakin, V. I.
Computer Simulation of Network Formation in Polymers, 2569
Das, D. See Mohapatra, D. K., 837
Decker, C.
—; Bendaikha, T.: Interpenetrating Polymer Networks. II. Sunlight-Induced Polymerization of Multifunctional Acrylates, 2269
Delair, T. See Chaix, C., 2487
del Río, C.
—; Martín-Álvarez, P. J.; Acosta, J. L.: Conductivity Studies of Solid Polymer Electrolytes Based on Polyethers and Polyphosphazene Blends, 2181
Del Zoppo, M.
—; Castiglioni, C.; Zuliani, P.; Razelli, A.; Tommasini, M.; Zerbi, G.; Blanchard-Desce, M.: Use of Vibrational Spectra for the Determination of First-Order Molecular Hyperpolarizabilities of Push–Pull Polyenes as Function of Structural Parameters, 1311
Demarquette, N. R.
—; Kamal, M. R.: Influence of Maleation of Polypropylene on the Interfacial Properties between Polypropylene and Ethylene–Vinyl Alcohol Copolymer, 75
De, P. P. See Manna, A. K., 723
De, S. K. See Antony, P., 483; Manna, A. K., 723
De Souza, C. M. G.
—; Tavares, M. I. B.: Nuclear Magnetic Resonance Study of Commercial Poly(vinyl acetate), 2457
Deverse, R. A. See Fateley, W. G., 1307
Dezzoti, M. See Pinho, M. S., 1543
Dhumrongvaraporn, S. See Wirasate, S., 1299
Díaz Barrios, A. See Rosales, C., 161
Dimonie, V. L. See Nzudie, D. T., 2729
Döll, W. See Schröder, N., 785
Dos Santos, J. H. Z. See Haag, M. C., 1173
Do, Y. See Kim, I., 973
Drioli, E. See Trotta, F., 477
Duda, J. L. See Hong, S.-U., 2069
Du, F.-S. See Liu, X.-Q., 1191
Dupont, J. See Haag, M. C., 1173
Durand, J. See Marzin, C., 359
Duréault, V. O.
—; Gosse, B.: Photooxidation of Anhydride-Cured Epoxies: FTIR Study of the Modifications of the Chemical Structure, 1221
Du, X. See Guo, L., 2463

Ebisawa, F. See Hoshino, M., 441
Eceiza, A. See Valea, A., 2595
Edirisinghe, M. J. See Song, J. H., 545

Eguchi, Y. See Kubota, N., 1027
Ekýncý, R.
—; Özden, M.; Türkdemýr, M. H.; Karagözler, A. E.: Preparation and Properties of Polybenzidine Film-Coated Electrode as an H_2O_2 Selective Polymeric Material, 2227
El-Aasser, M. S. See Nzudie, D. T., 2729
Eldsäter, C. See Albertsson, A.-C., 61
Elices, M. See Pérez-Rigueiro, J., 2439
El-Sabbagh, S.
—; Mokhtar, S. M.; Abd-El Messieh, S. L.: Electrical and Mechanical Properties of Grafted and Ungrafted Polyacrylamide–Rubber Blends, 2053
Engman, L. See Malmström, J., 449
Eom, G. T.
—; Oh, S. Y.; Park, T. G.: *In Situ* Thermal Gelation of Water-Soluble Poly(*N*-isopropylacrylamide-*co*-vinylphosphonic acid), 1947
Erlandsson, B. See Albertsson, A.-C., 61
Eroğlu, M. S.
—; Characterization of the Network Structure of Hydroxyl Terminated Poly(butadiene) Elastomers Prepared by Different Reactive Systems, 1129
Evans, J. R. G. See Song, J. H., 545

Fambri, L. See Pegoretti, A., 577
Fan, J.R.-C. See Kou, S.-C., 2719
Fang, J. See Su, L., 1955
Fang, J.-H. See Xu, H.-J., 1605
Fang, Z. See Zou, X., 1561
Fanta, G. F. See Willett, J. L., 1121
Fateley, W. G.
—; Deverse, R. A.; Hammaker, R. M.: Multidimensional Spectrometry and Mapping, 1307
Fawell, P. D. See Hecker, R., 2241
Fellahi, S. See Harani, H., 2603
Feng, L. See Wang, Y., 2307
Feng, N. See Lang, M., 1427
Fenton, J. M. See Lin, J.-C., 121
Ferrar, W. T. See Fitzgerald, J. J., 1633
Fitzgerald, J. J.
—; Ferrar, W. T.; Binga, T. D.: Fatigue-Resistant Silicone Elastomer Formulations, 1633
Fraga, F. See Núñez, L., 1931
Francis, D. J. See Nair, P. R., 1483
Fras, I.
—; Cassagnau, P.; Michel, A.: Influence of Processing Conditions on the Leaching of Thermal Stabilizers from Plasticized Polyvinyl Chloride in the Presence of Water, 2391
Fujita, M.
—; Kajiyama, M.; Takemura, A.; Ono, H.; Mizumachi, H.; Hayashi, S.: Effects of Miscibility on Probe Tack of Natural-Rubber-Based Pressure-Sensitive Adhesives, 771
—; Kajiyama, M.; Takemura, A.; Ono, H.; Mizumachi, H.; Hayashi, S.: Effects of Miscibility on Peel Strength of Natural-Rubber-Based Pressure-Sensitive Adhesives, 777
Fukuoka, Y. See Nakamura, Y., 311
Furukawa, K. See Yoshioka, T., 129

Gadre, A. P. See Kelkar, D. S., 1627
Gahleitner, M. See Mouzakis, D. E., 873
Ganapathy, S. See Subramanian, V., 985
Gao, J. See Liu, Y., 1991
Gao, Q. See Wu, Q., 765
Gao, Q.-Y. See Liu, X.-Q., 1191
García-Martínez, J. M.
—; Laguna, O.; Areso, S.; Collar, E. P.: Functionalization of Atactic Polypropylene by Succinyl-Fluorescein: A Two-Step Process of Chemical Modification in the Melt, 689
Garcia, R.
—; Pizzi, A.: Polycondensation and Autocondensation Networks in Polyflavonoid Tannins. I. Final Networks, 1083
—; Pizzi, A.: Polycondensation and Autocondensation Networks in Polyflavonoid Tannins. II. Polycondensation Versus Autocondensation, 1093
—; Pizzi, A.: Crosslinked and Entanglement Networks in Thermomechanical Analysis of Polycondensation Resins, 1111
Gasser, A. A. See Younan, A. F., 2061
Gauthier, M. See Blom, H. P., 227
Gavara, R. See Aucejo, S., 711
Gaztelumendi, M.
—; Nazábal, J.: Phenoxy/Hytrel Blends. I. Miscibility and Melt-State Reactions, 185
Genetti, W. B.
—; Lamirand, R. J.; Grady, B. P.: Wide-Angle X-Ray Scattering Study of Crystalline Orientation in Reticulate Doped Polymer Composites, 1785
Gerzeski, R. H.
—; Attempts to Enhance the Properties of EPON 830–Methylene Dianaline Epoxy Resin Systems by Exposure to Magnetic Fields During Thermal Curing, 2539
Gibov, K. M. See Mamleev, V. SH., 1523
Gigli, M. See Mendichi, R., 329
Gill, M. H. See Pegiadou, S., 211
Gjurova, K. See Bogdanov, B., 995
Goh, S. H. See Zhang, L., 811
Golozar, M. A.
—; Bagheri, R.: High Density Polyethylene Coating on Carbon Steel by Electrostatic Powder Spray System, 2507
González-de los Santos, E. A. See Lozano-González, M. J., 1811
Gonzalez, J. See Rosales, C., 161
Gonzalez, M. L. See Valea, A., 2595
Gopala, A.
—; See Wu, H., 935
—; Wu, H.; Heiden, P.: Investigation of Readily Processable Thermoplastic-Toughened Thermosets. III. Toughening BMIs and Epoxy with a Comb-Shaped Imide Oligomer, 943

Gordon, S. H. See Willett, J. L., 1121
Gorelova, M. M. See Pinho, M. S., 1543
Gosse, B. See Duréault, V. O., 1221
Gradwell, M. H. S.
—; Hourston, D. J.; Pabunruang, T.; Schafer, F.-U.; Reading, M.: High-Resolution Thermogravimetric Analysis of Polyurethane/Poly(ethyl methacrylate) Interpenetrating Polymer Networks, 287
Grady, B. P. See Genetti, W. B., 1785
Graillat, C. See Chu, F., 2667
Grassino, S. B.
—; Strumia, M. C. : Novel UV-Autocurable Methacrylo-Urethane Polymeric Films Derived from *m*-Digallic Acid: Preparation and Characterization, 2575
Grubb, D. T. See Murthy, N. S., 2527
Grulke, E. See Rangarajan, P., 1239
Gu, Q.-C. See Ju, J.-L., 353
Gu, X. See Ying, Y., 1047
Guest, M. J. See Chen, H., 109
Guo, L.
—; Shi, G.; Du, X.; Li, C.; Liang, Y.: Poly(ethylene glycol)s Catalyzed Two-Phase Dehydrochlorination of Poly(vinyl chloride) with Potassium Hydroxide, 2463
Gupta, A. K.
—; Paliwal, D. K.; Bajaj, P.: Melting Behavior of Acrylonitrile Polymers, 2703
Gupta, D. C.
—; Sumana, G.; Jain, R.: Synthesis and Characterization of Polysiloxanes for Controlled Release of 2-Pyridine Aldoxime–Chloride, 1837
Gupta, M. See Singh, B., 1847
Gupta, S. K. See Raha, S., 1859
Guthrie, J. T. See Pegiadou, S., 211
Güven, O. See Çaykara, T., 891
Guyot, A. See Chu, F., 2667

Ha, K.-J. See Park, H.-S., 913
Haag, M. C.
—; Dos Santos, J. H. Z.; Dupont, J.; Secchi, A. R.: Dynamic Simulation and Experimental Evaluation of EPDM Terpolymerization with Vanadium-Based Catalyst, 1173
Hachiya, H.
—; Takayama, S.; Takeda, K.: Properties of Immiscible Polymer Alloys without Compatibilizer, 2515
—; Takayama, S.; Takeda, K.: Phase Distribution of Polymers in Immiscible Polymer Alloy without Compatibilizer, 2521
Hamad, E. Z. See Shaikh, S., 2499
Hamid, H. See Atiqullah, M., 137
Hammaker, R. M. See Fateley, W. G., 1307
Hammawa, H. See Atiqullah, M., 137
Han, H. S.
—; Tan, K. L.; Kang, E. T.; Neoh, K. G.: Low-Temperature Graft Copolymerization of 1-Vinyl Imidazole on Low-Density Polyethylene Films with Simultaneous Lamination of Copper Foils, 1977
Han, J. H. See Cho, H. S., 1707
Han, J. L.
—; Chern, Y. C.; Li, K. Y.; Hsieh, K. H.: Interpenetrating Polymer Networks of Bismaleimide and Polyurethane-Crosslinked Epoxy, 529
—; Li, K. Y.: Interpenetrating Polymer Networks of Bismaleimide and Polyether Polyurethane–Crosslinked Epoxy, 2635
Han, Y.-P. See Sheng, J., 805
Harani, H.
—; Fellahi, S.; Bakar, M.: Toughening of Epoxy Resin Using Synthesized Polyurethane Prepolymer Based on Hydroxyl-Terminated Polyesters, 2603
Harris, F. See Wu, H., 935
Hatano, Y. See Turreda, L. D., 409
Hausner, S. H. See Mayer, A. B. R., 1209
Hayashi, S. See Fujita, M., 771, 777
He, Y. See Xu, H.-J., 1605
Hecker, R.
—; Fawell, P. D.; Jefferson, A.: The Agglomeration of High Molecular Mass Polyacrylamide in Aqueous Solutions, 2241
Heiden, P. See Gopala, A., 943; Wu, H., 935
Heino, M. See Vocke, C., 1923
Hemachandra, K. See Suwanprateeb, J., 1717
Henselwood, F.
—; Wang, G.; Liu, G.: Removal of Perylene from Water Using Block Copolymer Nanospheres or Micelles, 397
Hidalgo, M.
—; Beltrán, M. I.; Reinecke, H.; Mijangos, C.: Thermal and Mechanical Properties of Silane-Crosslinked Poly(Vinylchloride), 865
Hietaoja, P. See Vocke, C., 1923
Hiltner, A. See Chen, H., 109; Mueller, C., 2021
Hinrichsen, G. See Ali, M. A., 843
Hirai, T. See Murakata, T., 2299
Ho, P. S. See Liou, H.-C., 261, 273
Hong, S.-U.
—; Duda, J. L.: Diffusion of CFC 11 and Hydrofluorocarbons in Polyurethane (Note), 2069
Hornsby, P. R.
—; Premphet, K.: Influence of Phase Microstructure on the Mechanical Properties of Ternary Phase Polypropylene Composites, 587
Hoshino, M.
—; Ebisawa, F.: Low Dielectric Loss Polyethylene Polymerized with Chromocene Catalyst, 441
Hourston, D. J. See Gradwell, M. H. S., 287
Hsiao, K.-I. See Shieh, Y.-T., 1075
Hsieh, K. H. See Han, J. L., 529
Hsu, W.-P.
—; Myerson, A. S.; Kwei, T. K.: Desorption of Water Vapor in Hydrogen-Bonded Polymer Blends, 39
Hu, A. T.
—; Lee, J. H.-J.; Chen, T.-S.: Pressure Effects on Polymerization of Syndiotactic Polystyrene, 1747

Hu, J. See Sheng, J., 805
Hu, Y.
—; Painter, P. C.; Coleman, M. M.: Ternary Hydrogen-Bonded Polymer Solutions, 1265
Huang, L.-C. See Ko, T.-H., 2409
Huang, R. Y. M.
—; Shieh, J.-J.: Crosslinked Blended Poly(vinyl alcohol)/*N*-Methylol Nylon-6 Membranes for the Pervaporation Separation of Ethanol–Water Mixtures, 317
Huang, W.
—; Huang, Y.; Yu, Y.: Synthesis of MQ Silicone Resins Through Hydrolytic Condensation of Ethyl Polysilicate and Hexamethyldisiloxane, 1753
Huang, Y. See Dai, Q., 1159; Huang, W., 1753; Liao, B., 2075; Wang, H., 1137
Hung, A. See Kou, S.-C., 2719

Ichazo, M. See Rosales, C., 161
Ichinohe, D.
—; Muranaka, T.; Kise, H.: Oxidative Polymerization of Phenylenediamines by Enzyme and Magnetic Properties of the Products, 717
Ideguchi, S. See Yamaura, K., 1661
Iida, T. See Nakamura, Y., 311
Ikada, Y. See Tsuji, H., 2259
Inoue, H. See Shinoda, T., 1151
Inoue, T. See Kim, B. S., 757
Isayev, A. I. See Tapale, M., 2007
Ishak, Z. A. M. See Rozman, H. D., 2647
Ishida, H.
Preface to Special Issue in Honor of Professor Jack L. Koenig, 1255
—; See Russell, V. M., 1401, 1413; Wirasate, S., 1299
Ito, H. See Jeon, H. J., 665

Jabarin, S. A. See Chen, W., 1965
Jacobsson, K. See Malmström, J., 449
Jain, R. See Gupta, D. C., 1837
Jang, J. G.
—; Bae, Y. C.: Phase Behaviors of Binary Polymer Solutions: The Extended Lattice Fluid Model, 1143
Jannasch, P.
—; Wesslén, B.: Stress–Strain Behavior and Impact Strength of Polystyrene/Polyamide-6 Blends Compatibilized with Poly(styrene-*g*-ethylene oxide), 1887
Jefferson, A. See Hecker, R., 2241
Jeng, S.-H. See Kou, S.-C., 2719
Jeong, H. M. See Jin, D. W., 705
Jeon, H. J.
—; Ito, H.; Kikutani, T.; Okui, N.; Okamoto, M.: Effect of Metallic Wire Inserted in Nozzle in High-Speed Melt Spinning of Poly(ethylene terephthalate), 665
Jin, D. See Wei, Y., 1689
Jin, D. W.
—; Shon, K. H.; Kim, B. K.; Jeong, H. M.: Compatibility Enhancement of ABS/PVC Blends, 705
Johnson, A. F. See Lozano-González, M. J., 1811
Jönsson, J.-E. See Odeberg, J., 897
Ju, J.-L.
—; Gu, Q.-C.; Xu, H.-S.; Yang, C.-Z.: Ionic Conductivity of New Dual-Phase Polymer Electrolyte Composed of Poly(epichlorohydrin-co-oxirane) and NBR, 353
Jung, H. G. See Nho, Y. C., 2323

Kajiyama, M. See Fujita, M., 771, 777; Turreda, L. D., 409
Kamal, M. R. See Demarquette, N. R., 75
Kang, E. T. See Han, H. S., 1977
Kang, S. W. See Kim, S. H., 1065
Kangwantrakool, S. See Suwanprateeb, J., 1717
Kao, C.-Y.
—; Cheng, W.-H.; Wan, B.-Z.: Investigation of Alkaline Hydrolysis of Polyethylene Terephthalate by Differential Scanning Calorimetry and Thermogravimetric Analysis, 1939
Karagözler, A. E. See Ekýncý, R., 2227
Karakişla, M.
—; Saçak, M.: Grafting of Ethyl Acrylate onto Monofilament Polyester Fibers Using Benzoyl Peroxide, 1701
Karayannidis, G. P. See Bikiaris, D. N., 797
Karger-Kocsis, J. See Mouzakis, D. E., 873
Karlsson, O.
—; Wesslén, B.: Swelling of Poly(styrene-*co*-methacrylic acid) Latex by Isoprene, 2041
Karlsson, S. See Albertsson, A.-C., 61; Tall, S., 2381
Karmakar, N. C.
—; Rath, S. K.; Sastry, B. S.; Singh, R. P.: Investigation on Flocculation Characteristics of Polysaccharide-Based Graft Copolymers in Coal Fines Suspension, 2619
Kasaei, S. See Mehrabzadeh, M., 1
Katan, E.
—; Narkis, M.; Siegmann, A.: The Effect of Some Fluoropolymers' Structure on Their Response to UV Irradiation, 1471
Kelkar, D. S.
—; Gadre, A. P.: Structural and Optical Properties of Iodine-Doped PMMA Film, 1627
Keun, J.-H. See Park, H.-S., 913
Khan, J. H. See Atiqullah, M., 137
Khan, M. A. See Ali, M. A., 843
Khosravi, M. See Mehrabzadeh, M., 1
Kiekens, P. See Moharir, A. V., 303
Kikutani, T. See Jeon, H. J., 665
Kim, B. K. See Jin, D. W., 705
Kim, B. S.
—; Nakamura, G.-I.; Inoue, T.: Structure Development in the Phenolic Resin–Poly(styrene-ran-acrylonitrile) Copolymer Blends, 757
Kim, I.
—; Kim, K.-T.; Lee, M. H.; Do, Y.; Won, M.-S.: Syndioselective Propylene Polymerization: Comparison of $Me_2C(Cp)(Flu)ZrMe_2$ with $Et(Cp)(Flu)ZrMe_2$, 973
Kim, J.-J. See Choi, J. H., 2173
Kim, J. S. See Choi, J. H., 2173; Nho, Y. C., 2323
Kim, K.-T. See Kim, I., 973
Kim, M.-H.
—; Phillips, P. J.: Nonisothermal Melting and Crystallization

Studies of Homogeneous Ethylene/α-Olefin Random Copolymers, 1893
Kim, S. C. See Lee, H. K., 849
Kim, S. H.
—; Kang, S. W.; Park, J. K.; Park, Y. H.: Effect of Composition and Molecular Structure on the LC Phase of PHB–PEN–PET Ternary Blend, 1065
Kim, S. Y. See Choi, J. H., 2173
Kim, Y. C.
—; Yang, K. S.; Choi, C.-H.: Study of the Relationship between Shear Modification and Melt Fracture in Extrusion of LDPE, 2187
Kise, H. See Ichinohe, D., 717
Kishida, A. See Sakamoto, N., 965
Kizilcan, N.
—; Akar, A.: Chain Extended Cyclohexanone-Formaldehyde and Acetophenone–Formaldehyde Resins, 655
Ko, T.-H.
—; Huang, L.-C.: The Influence of Cobaltous Chloride Modification on Physical Properties and Microstructure of Modified PAN Fiber During Carbonization, 2409
Ko, Y. G. See Cho, H. S., 1707
Kobayashi, T. See Ohtake, Y., 1643; Suto, S., 1465
Koberstein, J. T. See Lin, J.-C., 121
Koenig, J. L.
Spectroscopies I Have Known—Award Address: Philips ACS Award in Applied Polymer Science, 1359
Koenig, J. L. See Mori, M., 1385, 1391; Parker, D. D., 1371; Russell, V. M., 1401, 1413
Kojima, T. See Tsuchiya, M., 471
Kolarik, J. See Pegoretti, A., 577
Konar, B. B. See Sengupta, A., 2155
Könczöl, L. See Schröder, N., 785
Kotnis, M. A. See Willett, J. L., 1121
Kou, S.-C.
—; Wen, J.-S.; Fan, J.R.-C.; Jeng, S.-H.; Hung, A. : Studies of Electrochemical Colored Coating, 2719
Kubota, H. See Amornsakchai, T., 465
Kubota, N.
—; Matsubara, T.; Eguchi, Y.: Permeability Properties of Isometrically Temperature-Responsive Poly(acrylic acid)-*graft*-Oligo(*N*-isopropylacrylamide) Gel Membranes, 1027
Kulkarni, M. G. See Lele, B. S., 883
Kumar, J. See Alva, K. S., 1257
Kumar, V. G. See Vaidya, A. A., 629
Kunz, H. R. See Lin, J.-C., 121
Kuriakose, B. See Vinod, V. S., 2427
Kuzayev, A. I. See Zaichenko, A. S., 2449
Kwak, S.-Y. See Choi, J. H., 2173
Kwei, T. K. See Hsu, W.-P., 39
Kwon, O. H. See Nho, Y. C., 2323

Laguna, O. See García-Martínez, J. M., 689
Lakshminarayana Reddy, R. See Varada Rajulu, A., 1823
Lamirand, R. J. See Genetti, W. B., 1785
Lam, T.-S. See Chan, W.-H., 47
Lang, M.
—; Zhang, G.; Chen, X.; Feng, N.; Li, S.: Poly(ethylene glycol)–*Block*–Poly(butylacrylate). II. Characterization and Properties, 1427
Laverde, D. See Bravo, O., 2479
Lee, H. K.
—; Kim, S. C.; Levon, K.: Liquid–Liquid Phase Separation and Crystallization of Polydisperse Isotactic Polypropylene Solutions, 849
Lee, H. W. See Yoon, K. H., 389
Lee, J. H.-J. See Hu, A. T., 1747
Lee, M.-C. See Wang, C.-S., 1907
Lee, M. H. See Kim, I., 973
Lee, S. See Subramanian, S., 1001
Lee, S.-Y. See Liu, J.-H., 2401
Lee, S. Y. See Zhang, L., 811
Lee, W.-L. See Lin, C.-W., 383
Lee, W. Y. See Cho, H. S., 1707
Lee, Y.-D. See Tsai, M.-F., 1669
Lei, Z. See Yang, M., 1165
Lele, B. S.
—; Kulkarni, M. G.: Single Step Room Temperature Oxidation of Poly(ethylene glycol) to Poly(oxyethylene)-Dicarboxylic Acid, 883
Lenka, S. See Mohapatra, D. K., 837
Leung, L. M. See Chan, W.-H., 47
Levon, K. See Lee, H. K., 849
Li, C. See Guo, L., 2463; Lu, Y., 2169
Li, F. See Zheng, M., 599
Li, F.-K. See Sheng, J., 805
Li, F.-M. See Liu, X.-Q., 1191
Li, K. See Blom, H. P., 227
Li, K. Y. See Han, J. L., 529, 2635
Li, P.-S. See Li, S.-D., 1779
Li, S. See Lang, M., 1427
Li, S.-D.
—; Peng, Z.; Yu, H.-P.; Li, P.-S.: Study on Variation of Structure and Properties of Natural Rubber During Accelerated Storage, 1779
Li, X. See Stessel, R. I., 2097
Li, Y. See Zheng, M., 599
Li, Z. See Yin, X., 921
Li, Z.-C. See Liu, X.-Q., 1191
Liang, B. See Pan, L., 1035
Liang, Y. See Guo, L., 2463; Lu, Y., 2169
Liao, B.
—; Huang, Y.; Cong, G.; Zhao, S.: Polystyrene Ionomer Aqueous Dispersion. II. Affecting Factors for the Stability and Particle Size of Emulsion, 2075
Lima, E. L. See Santos, A. F., 1737
Lin, C.-W.
—; Lee, W.-L.: An Investigation on the Modification of Polypropylene by Grafting of Maleic Anhydride Based on the Aspect of Adhesion, 383
Lin, J.-C.
—; Ouyang, M.; Fenton, J. M.; Kunz, H. R.; Koberstein, J. T.; Cutlip, M. B.: Study of Blend Membranes Consisting of Nafion® and Vinylidene Fluoride–Hexafluoropropylene Copolymer, 121
Lin, K.-F.
—; Shieh, Y.-D.: Core-Shell Particles Designed for Toughening the Epoxy Resins. II. Core-Shell-Particle-Toughened Epoxy Resins, 2313
Lin, S. See Wu, Q., 765

Ling, Y.-C. See Tsai, M.-F., 1669
Liou, H.-C.
—; Ho, P. S.; Tung, B.: Structure–Property Correlation for Thin Films of Semi-Interpenetrating Polyimide Networks. I. Miscibility, Curing, and Morphology Studies, 261
—; Ho, P. S.; Tung, B.: Structure–Property Correlation for Thin Films of Semi-Interpenetrating Polyimide Networks. II. Anisotropy in Optical, Electrical, Thermal, and Mechanical Properties, 273
Liu, G. See Henselwood, F., 397
Liu, J.-H.
—; Lee, S.-Y.; Tsai, F.-R.: Syntheses and Characterization of Photocrosslinkable Poly(amic acid-*co*-urea)s with Diazoresin, 2401
Liu, R.
—; Zhang, B.; Tang, H.: Adsorption Properties of Poly(acrylaminophosphonic-carboxyl-hydrazide)Type Chelating Fiber for Heavy Metal Ions, 7
Liu, S.
—; Yu, Y.; Cui, Y.; Zhang, H.; Mo, Z.: Isothermal and Nonisothermal Crystallization Kinetics of Nylon-11, 2371
Liu, W.-M. See Zhang, Z.-Z., 1455
Liu, X.-Q.
—; Du, F.-S.; Li, Z.-C.; Li, F.-M.; Gao, Q.-Y.; Yang, G.-X.; Zhang, J.-X.: Vinyl Monomers Bearing Chromophore Moieties and Their Polymers. VI. Synthesis, Photochemical, and Initiation Behavior of Acrylic Monomers Bearing Phenothiazine Oxide Moieties and Their Polymers, 1191
Liu, Y.
—; Zhao, M.; Shen, S.; Gao, J.: Curing Kinetics, Thermal Property, and Stability of Tetrabromo-bisphenol-A Epoxy Resin with 4,4′-Diaminodiphenyl Ether, 1991
—; Xie, D., 2417
Llorca, J. See Pérez-Rigueiro, J., 2439
Lofgren, E. A. See Chen, W., 1965
Loh, K.-C. See Chung, T. S., 2585
Lonikar, S. V. See Shaikh, V. A. E., 195
Lönnberg, V. See Malmström, J., 449
Louwagie, J. See Moharir, A. V., 303
Low, H. Y. See Russell, V. M., 1401, 1413
Low, I. M.
—; Paglia, G.; Shi, C.: Indentation Responses of Viscoelastic Materials, 2349
Lozano-González, M. J.
—; González-de los Santos, E. A.; Johnson, A. F.; Tsui, S-W.: Improvement of Dimensional Stability of Nylon-6 Block Copolymer Using Phenolic Resin by Reaction Injection Molding, 1811
Lu, Y.
—; Shi, G.; Li, C.; Liang, Y.: Thin Polypyrrole Films Prepared by Chemical Oxidative Polymerization, 2169
Lu, Z. See Su, L., 1955
Luckham, P. See Briscoe, B., 419
Luo, H. See Cao, W., 1817
Luo, J. See Tan, S., 907
Luyt, A. S. See Nhlapo, N. S., 1551

Maldar, N. N. See Shaikh, V. A. E., 195
Malhotra, B. D. See Verghese, M. M., 1447
Malhotra, M. See Brar, A. S., 373
Malmström, J.
—; Engman, L.; Bellander, M.; Jacobsson, K.; Stenberg, B.; Lönnberg, V.: Stabilization of PACREL® by Organotellurium Compound, 449
Mamleev, V. SH.
—; Bekturov, E. A.; Gibov, K. M.: Dynamics of Intumescence of Fire-Retardant Polymeric Materials, 1523
Mandrand, B. See Chaix, C., 2487
Manna, A. K.
—; De, P. P.; Tripathy, D. K.; De, S. K.: Hysteresis and Strain-Dependent Dynamic Mechanical Properties of Epoxidized Natural Rubber Filled with Surface-Oxidized Carbon Black, 723
Marcovich, N. E.
—; Reboredo, M. M.; Aranguren, M. I.: Mechanical Properties of Woodflour Unsaturated Polyester Composites, 2121
Mares, F. See McCarthy, T. F., 2211
Mark, J. E. See Mayer, A. B. R., 1209; Sarwar, M. I., 297
Marriaga, N. See Bravo, O., 2479
Martín-Álvarez, P. J. See del Río, C., 2181
Martinez, I. See Valea, A., 2595
Martínez-Richa, A.
—; Vera-Graziano, R.: A Solid-State NMR Study of Aromatic Polyimides Based on 4,4′-Diaminotriphenylmethane, 1053
Marzin, C.
—; Michel, V.; Tarrago, G.; Durand, J.: New Membranes Bearing Pyridinic Ligands by Plasma Graft Polymerization, 359
Massardier, V. See Cheikhalard, T., 613
Mathur, G. N. See Nigam, V., 537
Matsubara, T. See Kubota, N., 1027
Matsui, S. See Tsuchiya, M., 471
Mayer, A. B. R.
—; Mark, J. E.; Hausner, S. H.: Palladium Nanocatalysts Protected by Polyacids, 1209
McCarthy, T. F.
—; Williams, R.; Bitay, J. F.; Zero, K.; Yang, M. S.; Mares, F.: Surfactant-free Emulsion Polymerization of Chlorotrifluoroethylene with Vinylacetate or Vinylidene Fluoride, 2211
McManus, N. T.
—; Penlidis, A.: The Refractive Index Increment for Poly-α-Methylstyrene at 633 nm in Tetrahydrofuran (Note), 1253
Mechin, F. See Samson, N., 2331
Mehrabzadeh, M.
—; Kasaei, S.; Khosravi, M.: Modification of Fast-Cure Ethylene–Propylene Diene Terpolymer Rubber by Maleic Anhydride and Effect of Electron Donor, 1
Mendez, G. A. See Molinuevo, C. H., 1725

Mendichi, R.
—; Rizzo, V.; Gigli, M.; Schieroni, A. G.: Dilute-Solution Properties of a Polymeric Antitumor Drug Carrier by Size-Exclusion Chromatography, Viscometry, and Light Scattering, 329
Meng, Y. Z. See Tjong, S. C., 431, 1611
Meunier, M. See Popovici, D., 1201
Michel, A. See Fras, I., 2391
Michel, V. See Marzin, C., 359
Migahed, M. D.
—; Abdel-Hamid, M. I.; Abo-El Wafa, A. M.: Relaxation Behavior in Polarized PVDF Films under the Influence of Mechanical and Thermal Multistresses above Glass-Transition Temperature, 859
Mijangos, C. See Hidalgo, M., 865
Minard, C. See Chaix, C., 2487
Mishra, S.
—; Balakrishnan, S.; Chandra, R.: Thermal Stability of Ethylene Vinyl Acetate and Ethylene Propylene Diene (EVA–EPDM) Blends, 1829
Miyama, M.
—; Yasuda, H. K.: Direct Current Cathodic Glow Discharge Polymerization of Methane and Butane, 237
Mizumachi, H. See Fujita, M., 771, 777; Turreda, L. D., 409
Mizuno, A. See Tsuji, H., 2259
Mohapatra, D. K.
—; Das, D.; Nayak, P. L.; Lenka, S.: Polymers from Renewable Resources. XX. Synthesis, Structure, and Thermal Properties of Semi-Interpenetrating Polymer Networks Based on Cardanol–Formaldehyde-Substituted Aromatic Compounds Copolymerized Resins and Castor Oil Polyurethanes, 837
Moharir, A. V.
—; Van Langenhove, L.; Louwagie, J.; Van Nimmen, E.; Kiekens, P.: True-Spiral Angles in Diploid and Tetraploid Native Cotton Fibers Grown at Different Locations, 303
Mokhtar, S. M. See El-Sabbagh, S., 2053
Molinuevo, C. H.
—; Mendez, G. A.; Müller, A. J.: Nucleation and Crystallization of PET Droplets Dispersed in an Amorphous PC Matrix, 1725
Mondragon, I. See Valea, A., 2595
Mooradian, D. L. See Chandy, T., 2143
Moraglio, G. See Trotta, F., 477
Morbidelli, M. See Tredici, A., 2695
Moreno-Villoslada, I. See Rivas, B. L., 219
Mori, M.
—; Koenig, J. L.: ^{1}H-NMR Imaging Study of Molecular Mobility in Carbon Black-Filled, TBBS–Sulfur-Vulcanized *cis*-Polyisoprene, 1385
—; Koenig, J. L.: Solid-State ^{13}C-NMR and Equilibrium-Swelling Studies of Filled, TBBS-Accelerated Sulfur Vulcanization of Natural Rubber, 1391
Morita, M.
—; Effects of Applied Potentials on Permselectivity of Ions through Polypyrrole/Porous-Polypropylene Composite Membrane, 647
Motawie, A. M.
—; Sadek, E. M.: Adhesives and Coatings Based on Poly(vinyl acetal)s, 1769
Mourey, T. H.
—; Balke, S. T.: Detecting Local Polydispersity with Multidetector SEC from Reconstructed DRI Chromatograms, 831
Mouzakis, D. E.
—; Gahleitner, M.; Karger-Kocsis, J.: Toughness Assessment of Elastomeric Polypropylene (ELPP) by the Essential Work of the Fracture Method, 873
Mo, Z. See Liu, S., 2371
Mueller, C.
—; Capaccio, G.; Hiltner, A.; Baer, E.: Heat Sealing of LLDPE: Relationships to Melting and Interdiffusion, 2021
Mukai, U.
—; Cohen, R. E.; Bellare, A.; Albalak, R. J.: The Influence of Melt Processing on the Spatial Organization of Polymer Chains in a Crystallizable Diblock Copolymer of Nylon 6 and PDMS, 1985
Mülhaupt, R. See Schröder, N., 785
Müller, A. J. See Molinuevo, C. H., 1725
Murakami, N. See Ohtake, Y., 1643
Murakata, T.
—; Saito, M.; Sato, H.; Hirai, T.; Sato, S.: Selective Pyrolysis of Polystyrene to That with a Desired Low Polymeric Degree, 2299
Muranaka, T. See Ichinohe, D., 717
Murthy, N. S.
—; Grubb, D. T.; Zero, K.; Nelson, C. J.; Chen, G.: Lamellar Structure and Properties in Poly(ethylene terephthalate) Fibers, 2527
Myerson, A. S. See Hsu, W.-P., 39

Nair, C. P. R. See Nair, P. R., 1483
Nair, P. R.
—; Nair, C. P. R.; Francis, D. J.: Imide-Modified Polyurethanes, Syntheses, Thermal, and Mechanical Characteristics, 1483
Nakamura, G.-I. See Kim, B. S., 757
Nakamura, Y.
—; Fukuoka, Y.; Iida, T.: Tensile Test of Poly(vinyl chloride) Filled with Ground Calcium Carbonate Particles, 311
Narkis, M. See Katan, E., 1471
Nayak, P. L. See Mohapatra, D. K., 837
Nazábal, J. See Gaztelumendi, M., 185
Nelson, C. J. See Murthy, N. S., 2527
Neoh, K. G. See Han, H. S., 1977
Ng, C.-F. See Chan, W.-H., 47
Nhlapo, N. S.
—; Luyt, A. S.; Vosloo, H. C. M.: Comparison of Two Curing Agents in Thermal

Crosslinking. I. Hard Paraffin Wax, 1551
Nho, Y. C.
—; Kwon, O. H.; Ryu, H. J.; Jung, H. G.; Shin, D. S.; Kim, J. S.: Effect of Stabilizer on the Radiation Grafting of Methylmethacrylate onto Polypropylene, 2323
Nicholson, J. W.
The Effect of Trivalent Metal Nitrates on the Properties of Dental Cements Made from Poly(acrylic acid), 2353
Nie, L. See Chen, J., 2283
Nielsen, K. E. See Blom, H. P., 227
Nigam, V.
—; Setua, D. K.; Mathur, G. N.: Wide-Angle X-ray Scattering, Fourier Transform Infrared Spectroscopy, and Scanning Electron Microscopy Studies on the Influence of the Addition of Liquid Functional Rubber into Epoxy Thermoset, 537
Nishiwaki, T. See Shinoda, T., 1151
Niu, B.-J.
—; Urban, M. W.: Recent Advances in Stratification and Film Formation of Latex Films; Attenuated Total Reflection and Step-Scan Photoacoustic FTIR Spectroscopic Studies, 1321
Núñez, L.
—; Fraga, F.; Núñez, M. R.; Villanueva, M.: Effects of Diffusion on the Kinetic Study and TTT Cure Diagram for an Epoxy/Diamine System, 1931
Núñez, M. R. See Núñez, L., 1931
Nzudie, D. T.
—; Dimonie, V. L.; Sudol, E. D.; El-Aasser, M. S.: Use of Styrene-Maleic Anhydride Copolymers (SMA Resins) in Emulsion Copolymerization, 2729

O'Brien, G. S. See Willett, J. L., 1121
Odeberg, J.
—; Rassing, J.; Jönsson, J.-E.; Wesslén, B.: Influence of Spacer Groups on Grafting Ability, Curing Ability, and Film Properties of Water-Based Radiation Curable Latexes, 897
Oh, S. Y. See Eom, G. T., 1947
Ohtake, Y.
—; Kobayashi, T.; Asabe, H.; Murakami, N.; Ono, K.: Oxidative Degradation and Molecular Weight Change of LDPE Buried under Bioactive Soil for 32–37 Years, 1643
Okamoto, M. See Jeon, H. J., 665
Okay, O.
—; Sariişik, S. B.; Zor, S. D.: Swelling Behavior of Anionic Acrylamide-Based Hydrogels in Aqueous Salt Solutions: Comparison of Experiment with Theory, 567
Okui, N. See Jeon, H. J., 665
Okuwaki, A. See Yoshioka, T., 129
Olivier, P. See Cassignol, C., 1567
Ono, H. See Fujita, M., 771, 777
Ono, K. See Ohtake, Y., 1643
Oraby, A. H. See Tawansi, A., 1437, 1759
Orbey, N. See Bayram, G., 507
Ouyang, M. See Lin, J.-C., 121
Özden, M. See Ekýncý, R., 2227

Pabunruang, T. See Gradwell, M. H. S., 287
Paglia, G. See Low, I. M., 2349
Painter, P.
—; Park, Y.; Coleman, M.: Connectivity and Spacing Effects in Hydrogen-Bonding Polymer Solutions and Blends, 1273
Painter, P. C. See Hu, Y., 1265
Paliwal, D. K. See Gupta, A. K., 2703
Panayiotou, C. See Bikiaris, D., 1503
Pan, C. See Wang, Y., 2307
Pan, L.
—; Liang, B.: A Comparative Study of *In-Situ* Composite Fibers Reinforced with Different Rigid Liquid Crystalline Polymers, 1035
Park, H.-S.
—; Ha, K.-J.; Keun, J.-H.: Preparation and Physical Properties of Two-Component Polyurethane Flame-Retardant Coatings Using Trichloro Modified Polyesters, 913
Park, J. K. See Kim, S. H., 1065
Park, O. O. See Yoon, K. H., 389
Park, T. G. See Eom, G. T., 1947
Park, Y. See Painter, P., 1273
Park, Y. H. See Kim, S. H., 1065
Parker, D. D.
—; Koenig, J. L.: Solid-State ^{13}C-NMR Studies of Changes in Crosslinked Carbon Structure During Heating Under Air and Nitrogen Environments, 1371
Pascault, J. P. See Cheikhalard, T., 613
Pascault, J.-P. See Samson, N., 2331
Pecchini, R. See Tredici, A., 2695
Pegiadou, S.
—; Guthrie, J. T.; Gill, M. H.: The Synthesis and Characterization of New Polymerizable Pyrimidines: Immobilization of the Monomers onto Hydrophilic Graft Copolymeric Supports Through Radiation-Induced Copolymerization–Grafting, 211
Pegoretti, A.
—; Fambri, L.; Penati, A.; Kolarik, J.: Hydrolytic Resistance of Model Poly(ether urethane ureas) and Poly(ester urethane ureas), 577
Pekcan, Ö.
—; Arda, E.: Effect of Molecular Weight on Latex Film Foundation: Photon Transmission Study, 339
—; See Uğur, S., 1493
Penati, A. See Pegoretti, A., 577
Peng, C.
—; Wang, Y.; Tang, Y.: Synthesis of Crosslinked Chitosan-Crown Ethers and Evaluation of These Products as Adsorbents for Metal Ions, 501
Peng, G. B. See Rozman, H. D., 2647
Peng, T.
—; Cheng, Y.-L. : Temperature-Responsive Permeability of Porous PNIPAAm-*g*-PE Membranes, 2133
Peng, Z. See Li, S.-D., 1779
Penlidis, A. See McManus, N. T., 1253
Peppas, N. A. See Argade, A. B., 817

Perera, R. See Rosales, C., 161
Pérez-Rigueiro, J.
—; Viney, C.; Llorca, J.; Elices, M.: Silkworm Silk as an Engineering Material, 2439
Perichaud, A. See Baudrion, F., 2657
Pertsin, A. J. See Pinho, M. S., 1543
Phillips, J. C.
—; Enthalpies of Vaporization of Oligomers of Poly(hexamethylene sebacate) and Esters of Alkylcarboxylic Acids, 731
Phillips, P. J. See Kim, M.-H., 1893
Pichot, C. See Chaix, C., 2487
Pinho, M. S.
—; Gorelova, M. M.; Dezzoti, M.; Soares, B. G.; Pertsin, A. J.: Conductive Polyaniline–Polychloroprene Blends, 1543
Pinto, J. C. See Santos, A. F., 1737
Pizzi, A. See Garcia, R., 1083, 1093, 1111
Poché, D. S.
—; Ribes, A. J.; Tipton, D. L.: Characterization of Methocel™: Correlation of Static Light-Scattering Data to GPC Molar Mass Data Based on Pullulan Standards, 2197
Poinescu, I.
—; Vlad, C.-D.; Ciolacu, R.-G.: Chlorinated Crosslinked Adsorbents, 1579
Poma, E. B. See Trotta, F., 477
Ponrathnam, S. See Shaikh, V. A. E., 195
Popov, A. See Bogdanov, B., 995
Popovici, D.
—; Sacher, E.; Meunier, M.: Photodegradation of Teflon AF1600 During XPS Analysis, 1201
Pozo, M. J. See Aucejo, S., 711
Prasad, A. V.
—; Singh, R. P.: Photooxidative Degradation of Styrenic Polymers: ^{13}C-NMR and Morphological Changes upon Irradiation, 637
Premphet, K. See Hornsby, P. R., 587
Qingmin, W. See Shaosheng, D., 2001
Raha, S.
—; Gupta, S. K.: A General Kinetic Model for Epoxy Polymerization, 1859
Rajan, C. R. See Shaikh, V. A. E., 195
Ramanathan, K. See Verghese, M. M., 1447
Rangarajan, P.
—; Bhattacharyya, D.; Grulke, E.: HDPE Liquefaction: Random Chain Scission Model, 1239
Rao, D. V. M. See Sastry, P. K., 2251
Rao, G. H. R. See Chandy, T., 2143
Rassing, J. See Odeberg, J., 897
Rath, S. K.
—; Singh, R. P.: On the Characterization of Grafted and Ungrafted Starch, Amylose, and Amylopectin, 1795
—; Singh, R. P.: Enzyme Hydrolysis of Grafted Amylopectin, 2627
—; See Karmakar, N. C., 2619
Raymond, M.-P.
—; Bui, V. T.: Epoxy/Castor Oil Graft Interpenetrating Polymer Networks, 1649
Razelli, A. See Del Zoppo, M., 1311
Reading, M. See Gradwell, M. H. S., 287
Reboredo, M. M. See Marcovich, N. E., 2121
Reddy, A. V. R.
—; Subramanian, K.; Sainath, A. V. S.: Photosensitive Polymers: Synthesis, Characterization, and Photocrosslinking Properties of Polymers with Pendant α,β-unsaturated Ketone Moiety, 2111
Reinecke, H. See Hidalgo, M., 865
Renstad, R. See Albertsson, A.-C., 61
Ribes, A. J. See Poché, D. S., 2197
Ricard, A. See Cassignol, C., 1567
Rivas, B. L.
—; Moreno-Villoslada, I.: Poly(sodium 4-styrenesulfonate)–Metal Ion Interactions, 219
Rizzo, V. See Mendichi, R., 329
Robinette, J. See Cakmak, M., 89
Rogovina, S. Z.
—; Akopova, T. A.; Vikhoreva, G. A.: Investigation of Properties of Chitosan Obtained by Solid-Phase and Suspension Methods, 927
Rojas, H. See Rosales, C., 161
Rokicki, G.
—; Szymańska, E.: Unsaturated Polyester Resins with Different Allyl Ethers as Crosslinking Built-In Monomers, 2031
Rosales, C.
—; Perera, R.; Ichazo, M.; Gonzalez, J.; Rojas, H.; Sánchez, A.; Díaz Barrios, A.: Grafting of Polyethylenes by Reactive Extrusion. I. Influence on the Molecular Structure, 161
Rouhallah, B.
—; Ali-Asghar, M.: Synthesis of Methyl Methacrylate-*n*-Butylacrylate Copolymers: Study of the Paint Properties, 367
Rozman, H. D.
—; Peng, G. B.; Ishak, Z. A. M.: The Effect of Compounding Techniques on the Mechanical Properties of Oil Palm Empty Fruit Bunch–Polypropylene Composites, 2647
Rudin, A. See Blom, H. P., 2081
Russell, V. M.
—; Koenig, J. L.; Low, H. Y.; Ishida, H.: Study of the Characterization and Curing of a Phenyl Benzoxazine Using ^{15}N Solid-State Nuclear Magnetic Resonance Spectroscopy, 1401
—; Koenig, J. L.; Low, H.-Y.; Ishida, H.: Study of the Characterization and Curing of Benzoxazines using ^{13}C Solid-State Nuclear Magnetic Resonance, 1413
Ryu, H. J. See Nho, Y. C., 2323
Saçak, M. See Karakişla, M., 1701
Sacher, E. See Popovici, D., 1201

Sadek, E. M. See Motawie, A. M., 1769
Sainath, A. V. S. See Reddy, A. V. R., 2111
Saito, M. See Murakata, T., 2299
Sakamoto, N.
—; Suzuki, K.; Kishida, A.; Akashi, M.: Preparation and Swelling Properties of Glycoside-Bearing Hydrogels by Gamma-Ray Radiation to Glycoside-Bearing Polymer Aqueous Solutions, 965
Samson, N.
—; Mechin, F.; Pascault, J.-P.: New Segmented Polyurethane Ureas Based on 4,4′-Dicyclohexylmethane Diisocyanate and on Various Soft Segments, 2331
Samuelson, L. See Alva, K. S., 1257
Sánchez, A. See Rosales, C., 161
Sano, K. See Tsuchiya, M., 471
Santos, A. F.
—; Lima, E. L.; Pinto, J. C.: In-Line Evaluation of Average Particle Size in Styrene Suspension Polymerizations Using Near-Infrared Spectroscopy, 1737
Sariişik, S. B. See Okay, O., 567
Sarwar, M. I.
—; Ahmad, Z.; Mark, J. E.: Thermal and Mechanical Properties of Aramid-Based Titania Hybrid Composites, 297
Sastry, B. S. See Karmakar, N. C., 2619
Sastry, P. K.
—; Satyanarayana, D.; Rao, D. V. M.: Accelerated and Environmental Weathering Studies on Polyethylene–Starch Blend Films, 2251
Sato, H. See Murakata, T., 2299
Sato, S. See Murakata, T., 2299
Sato, T. See Yoshioka, T., 129
Satyanarayana, D. See Sastry, P. K., 2251
Schafer, F.-U. See Gradwell, M. H. S., 287
Schaible, S. See Cakmak, M., 89
Scherzer, T.
—; Molecular Orientation in Novolac Cured Epoxy Resins: Rheooptical FTIR Spectroscopy Study, 247
Schieroni, A. G. See Mendichi, R., 329
Schoch, K. F., Jr. See Su, W. F. A., 2163
Schreiber, H. P. See Xu, R., 1597
Schröder, N.
—; Könczöl, L.; Döll, W.; Mülhaupt, R.: Modification of Epoxy Resin with α,ω-Oligo(butylmethacrylate)diols, 785
Secchi, A. R. See Haag, M. C., 1173
Sekiguchi, Y. See Turreda, L. D., 409
Sengupta, A.
—; Konar, B. B.: Relaxation of Stress in Polypropylene and Ethylene–Propylene–Diene Elastomer Blend Vulcanizates at Moderate and High Extensions, 2155
Seoane, B. See Villaluenga, J. P. G., 23
Seo, Y.
TLCP Ternary Blends for *In Situ* Composites: *In Situ* Compatibilizer, 1589
Seppälä, J. See Vocke, C., 1923
Setua, D. K. See Nigam, V., 537
Shaban, H. I.
—; A Qualitative Investigation on the Importance of Boundary Layer in Pervaporation Separation of an Aqueous Organic Reaction, 2361
Shah, G. B.
—; Effect of Length of Ligand in Organotin Compounds on Their Catalytic Activity for the Polycondensation of Silicone, 2235
Shaikh, S.
—; Ali, S. K. A.; Hamad, E. Z.; Al-Nafaa, M.; Al-Jarallah, A.; Abu-Sharkh, B.: Synthesis, Characterization, and Solution Properties of Hydrophobically Modified Poly(vinyl alcohol), 2499
Shaikh, V. A. E.
—; Maldar, N. N.; Lonikar, S. V.; Rajan, C. R.; Ponrathnam, S.: Thermotropic Behavior of Cholesterol-Linked Polysaccharides, 195
Shan, C. L. P.
—; Baker, W. E.; Cunningham, M. F.; Baird, M. C.: Conversion Studies in a Novel Reaction Injection Molding Process for Syndiotactic Polystyrene, 2679
Shaosheng, D.
—; Qingmin, W.; Yuezhen, W.; Zhiqian, Z.: Relations of Weight-Average Molecular Weights and the Thermal Properties of *N*-Cyclohexyl Maleimide–Methyl Methacrylate, 2001
Shau, M.-D. See Wang, T.-S., 1877
Shen, J. See Wang, H., 1137
Shen, S. See Liu, Y., 1991
Shen, W.-C. See Zhang, Z.-Z., 1455
Sheng, J.
—; Hu, J.; Yuan, X.-B.; Han, Y.-P.; Li, F.-K.; Bian, D.-C.: The Study of Polystyrene Blends: The Relationship of Phases and Structure in Blends of Polystyrene with Ethylene–Propylene Diene Monomer Rubber and Its Grafted Copolymer, 805
Shevchuk, O. M. See Zaichenko, A. S., 2449
Shi, C. See Low, I. M., 2349
Shi, G. See Guo, L., 2463; Lu, Y., 2169
Shi, M. See Xu, W., 2343
Shieh, J.-J. See Huang, R. Y. M., 317
Shieh, J. Y. See Wang, C. S., 1959
Shieh, Y.-D. See Lin, K.-F., 2313
Shieh, Y.-T.
—; Hsiao, K.-I.: Thermal Properties of Silane-Grafted Water-Crosslinked Polyethylene, 1075
Shin, D. S. See Nho, Y. C., 2323
Shinoda, T.
—; Yoshikawa, M.; Nishiwaki, T.; Inoue, H.: Silylated Poly(4-hydroxystyrene)s as Negative Electron Beam Resists, 1151
Shon, K. H. See Jin, D. W., 705
Si, J. See Yang, M., 1165
Siddaramaiah See Varada Rajulu, A., 1823
Siegmann, A. See Katan, E., 1471
Siesler, H. W. See Ameri, A., 1349
Singh, B.
—; Verma, A.; Gupta, M.: Studies on Adsorptive Interaction

Between Natural Fiber and Coupling Agents, 1847
Singh, R. P. See Karmakar, N. C., 2619; Prasad, A. V., 637; Rath, S. K., 1795, 2627
Skarżyński, M.
—; Cynkowska, G.; Abis, L.; Wawer, I.; Spera, S.: Identification and Determination of the Glyceride and Tris-(2-hydroxyethyl)isocyanurate Structures in the Average Macromolecule of a Polyester with Carbon-13-NMR Spectroscopy: Analysis of the Polyester Average Structure, 675
Sliepcevich, A. See Tredici, A., 2695
Smith, J. D. B. See Su, W. F. A., 2163
Soares, B. G. See Pinho, M. S., 1543
Soltani, F.
—; Yilmazer, Ü.: Slip Velocity and Slip Layer Thickness in Flow of Concentrated Suspensions, 515
Song, J. H.
—; Evans, J. R. G.; Edirisinghe, M. J.; Twizell, E. H.: Multiparameter Mapping of Polymer Properties for Fast Thermolysis of Powder Moldings, 545
Spera, S. See Skarżyński, M., 675
Sreekumar, K. See Aiswaryakumari, K., 493
Sreenivasan, K.
—; Synthesis and Evaluation of a Beta Cyclodextrin-Based Molecularly Imprinted Copolymer, 15
—; Synthesis and Evaluation of a Molecularly Imprinted Polyurethane–Poly (HEMA) Semi-Interpenetrating Polymer Networks as Membrane, 19
Stenberg, B. See Malmström, J., 449
Stessel, R. I.
—; Barrett, W. M., Jr.; Li, X.: Comparison of the Effects of Testing Conditions and Chemical Exposure on Geomembranes Using the Comprehensive Testing System, 2097
Strumia, M. C. See Grassino, S. B., 2575
Su, A. See Tan, S., 907
Su, L.
—; Fang, J.; Lu, Z.: All-Solid-State Electrochromic Device of Electrodeposited WO_3 and Prussian Blue Film with PVC Gel Electrolyte, 1955
Su, W. F. A.
—; Schoch, K. F., Jr.; Smith, J. D. B.: Comparison of Cure Conditions for Rigid Rod Epoxy and Bisphenol A Epoxy Using Thermomechanical Analysis, 2163
Subramanian, K. See Reddy, A. V. R., 2111
Subramanian, S.
—; Lee, S.: Graft Copolymerization of Acrylic Acid onto Polystyrene Using the Solid Phase Grafting Technique, 1001
Subramanian, V.
—; Ganapathy, S.: Aging of Vulcanizates of Formulations for Rubber Seals, 985
Sudol, E. D. See Nzudie, D. T., 2729
Sumana, G. See Gupta, D. C., 1837
Sun, Y. M. See Wang, C. S., 1959
Suto, S.
—; Kobayashi, T.: Gas Transport Phenomena in Hydroxypropyl Cellulose Solid Film Retaining Cholesteric Liquid Crystalline Order, 1465
Suwanprateeb, J.
—; Tiemprateeb, S.; Kangwantrakool, S.; Hemachandra, K.: The Role of Filler Volume Fraction in the Strain-Rate Dependence of Calcium Carbonate-Reinforced Polyethylene, 1717
Suzuki, K. See Sakamoto, N., 965
Szymańska, E. See Rokicki, G., 2031

Takayama, S. See Hachiya, H., 2515, 2521
Takeda, K. See Hachiya, H., 2515, 2521
Takemoto, M. See Turreda, L. D., 409
Takemura, A. See Fujita, M., 771, 777
Tall, S.
—; Albertsson, A.-C.; Karlsson, S.: Recycling of Mixed Plastic Fractions: Mechanical Properties of Multicomponent Extruded Polyolefin Blends Using Response Surface Methodology, 2381
Tan, H. See Chen, J., 2283
Tan, K. L. See Han, H. S., 1977
Tan, S.
—; Luo, J.; Su, A.; Zhao, X.; Zhou, E.: Physical Aging and Crystallization of Amorphous Poly(aryl ether ether ketone ketone), 907
Tang, H. See Liu, R., 7
Tang, Y. See Peng, C., 501
Tanigami, T. See Yamaura, K., 1661
Tan, K. L. See Han, H. S., 1977
Tapale, M.
—; Isayev, A. I.: Continuous Ultrasonic Devulcanization of Unfilled NR Vulcanizates, 2007
Tarantili, P. A. See Andreopoulos, A. G., 747
Tarrago, G. See Marzin, C., 359
Tavares, M. I. B. See De Souza, C. M. G., 2457
Tawansi, A.
—; Oraby, A. H.; Abdelrazek, E. M.; Ayad, M. I.; Abdelaziz, M.: Effect of Local Structure of $MnCl_2$-Filled PVDF Films on Their Optical, Electrical, Electron Spin Resonance and Magnetic Properties, 1437
—; Oraby, A. H.; Ahmed, E.; Abdelrazek, E. M.; Abdelaziz, M.: Effect of Na-Light Radiation on the Optical Gap and Crystal Structure of $AgNO_3$-Diffused PVDF Sensor, 1759
Tay, H. L. See Chung, T. S., 2585
Teh, J. W. See Blom, H. P., 2081
Tiemprateeb, S. See Suwanprateeb, J., 1717
Tighzert, L. See Cheikhalard, T., 613
Tipton, D. L. See Poché, D. S., 2197

Tjong, S. C.
—; Meng, Y. Z.: Morphology and Performance of Potassium Titanate Whisker-Reinforced Polypropylene Composites, 431
—; Meng, Y. Z.: Impact-Modified Blends of Compatibilized Polyamide-6 with Liquid Crystalline Copolyester, 1611
Tommasini, M. See Del Zoppo, M., 1311
Tredici, A.
—; Pecchini, R.; Sliepcevich, A.; Morbidelli, M. : Polymer Blends by Self-Propagating Frontal Polymerization, 2695
Tripathy, D. K. See Manna, A. K., 723
Tripathy, S. See Alva, K. S., 1257
Trotta, F.
—; Drioli, E.; Moraglio, G.; Poma, E. B.: Sulfonation of Polyetheretherketone by Chlorosulfuric Acid, 477
Tsai, C.-H. See Chen, Y., 605
Tsai, F.-R. See Liu, J.-H., 2401
Tsai, M.-F.
—; Lee, Y.-D.; Ling, Y.-C.: Improved Adhesion of Silicone Rubber to Polyurethane by Induced Surface Reconstruction, 1669
Tsai, Y. M.
—; Boerio, F. J.: Molecular Structure of Interfaces Between Plasma-Polymerized Acetylene Films and Steel Substrates, 1283
Tsuchiya, M.
—; Matsui, S.; Sano, K.; Kojima, T.: Role of Substituent in Electrooxidation of Poly(1-substituted pyrrole) Films, 471
Tsui, S-W. See Lozano-González, M. J., 1811
Tsuji, H.
—; Mizuno, A.; Ikada, Y.: Blends of Aliphatic Polyesters. III. Biodegradation of Solution-Cast Blends from Poly(L-lactide) and Poly(ϵ-caprolactone), 2259
Tung, B. See Liou, H.-C., 261, 273
Türkdemýr, M. H. See Ekýncý, R., 2227
Turreda, L. D.
—; Sekiguchi, Y.; Takemoto, M.; Kajiyama, M.; Hatano, Y.; Mizumachi, H.: Rheological Study on the Adhesion Properties of the Blends of Ethylene Vinyl Acetate/Terpene Phenol Adhesives, 409
Twizell, E. H. See Song, J. H., 545

Uğur, S.
—; Pekcan, Ö.: Solubility and Diffusion in Latex Films Formed from High Glass Transition Temperature Particles, 1493
Urban, M. W. See Niu, B.-J., 1321

Vaidya, A. A.
—; Kumar, V. G.: Silica–Alumina Catalysts for Polymerization of Cyclic Siloxanes, 629
Valea, A.
—; Martinez, I.; Gonzalez, M. L.; Eceiza, A.; Mondragon, I.: Influence of Cure Schedule and Solvent Exposure on the Dynamic Mechanical Behavior of a Vinyl Ester Resin Containing Glass Fibers, 2595
Van Langenhove, L. See Moharir, A. V., 303
Van Nimmen, E. See Moharir, A. V., 303
Varada Rajulu, A.
—; Lakshminarayana Reddy, R.; Siddaramaiah: Ultrasonic, Refractometric, and Viscosity Studies of Some Polymer Blends in Solution, 1823
Varghese, S. See Vinod, V. S., 2427
Vasilyev, V. P. See Zaichenko, A. S., 2449
Vera-Graziano, R. See Martínez-Richa, A., 1053
Verghese, M. M.
—; Ramanathan, K.; Ashraf, S. M.; Malhotra, B. D.: Enhanced Loading of Glucose Oxidase on Polyaniline Films Based on Anion Exchange, 1447
Verma, A. See Singh, B., 1847
Vikhoreva, G. A. See Rogovina, S. Z., 927
Villaluenga, J. P. G.
—; Seoane, B.; Compañ, V.: Diffusional Characteristics of Coextruded Linear Low-Density Polyethylenes Prepared from Different Conditions of Processing, 23
Villanueva, M. See Núñez, L., 1931
Viney, C. See Pérez-Rigueiro, J., 2439
Vinod, V. S.
—; Varghese, S.; Kuriakose, B.: Effect of Adhesion on the Equilibrium Swelling of Natural Rubber-Aluminium Powder Composites, 2427
Vlad, C.-D. See Poinescu, I., 1579
Vocke, C.
—; Anttila, U.; Heino, M.; Hietaoja, P.; Seppälä, J.: Use of Oxazoline Functionalized Polyolefins and Elastomers as Compatibilizers for Thermoplastic Blends, 1923
Voronov, S. A. See Zaichenko, A. S., 2449
Vosloo, H. C. M. See Nhlapo, N. S., 1551

Wan, B.-Z. See Kao, C.-Y., 1939
Wang, C.-S.
—; Lee, M.-C.: Synthesis and Modification of a Naphthalene-Containing Trifunctional Epoxy Resin for Electronic Applications, 1907
—; Shieh, J. Y.; Sun, Y. M.: Synthesis and Properties of Phosphorus Containing PET and PEN (I), 1959
Wang, D. See Wu, W., 2471
Wang, G. See Henselwood, F., 397
Wang, H.
—; Huang, Y.; Shen, J.: Influence of Thermal History on the Formation of Liquid Crystalline Phase of Hydroxyethyl Cellulose Acetate, 1137
Wang, J.-H. See Chiu, H.-T., 1009
Wang, T.-S.
—; Shau, M.-D.: Properties of Epon 828 Resin Cured by Cyclic Phosphine Oxide Tetra Acid, 1877
Wang, X. See Yang, C. Q., 2711
Wang, Y.
—; Feng, L.; Pan, C.: Characterization and Magnetic Properties of P(St-*co*-4VP) Metal Microspheres, 2307

—; See Peng, C., 501; Yang, M., 1165
Wang, Z.-G. See Xu, H.-J., 1605
Wavhal, D. S. See Bhat, N. V., 203
Wawer, I. See Skarżyński, M., 675
Wei, G. See Wei, Y., 1689
Wei, X.
—; Ying, Y.; Yu, X.: A Novel Synthetic Strategy to Aromatic-Diisocyanate-Based Waterborne Polyurethanes, 1621
Wei, Y.
—; Jin, D.; Wei, G.; Yang, D.; Xu, J.: Novel Organic–Inorganic Chemical Hybrid Fillers for Dental Composite Materials, 1689
Wen, J.-S. See Kou, S.-C., 2719
Wesslén, B. See Jannasch, P., 1887; Karlsson, O., 2041
Wesslén, B. See Odeberg, J., 897
Willett, J. L.
—; Kotnis, M. A.; O'Brien, G. S.; Fanta, G. F.; Gordon, S. H.: Properties of Starch-*graft*-Poly(glycidyl methacrylate)–PHBV Composites, 1121
Williams, R. See McCarthy, T. F., 2211
Wirasate, S.
—; Dhumrongvaraporn, S.; Allen, D. J.; Ishida, H.: Molecular Origin of Unusual Physical and Mechanical Properties in Novel Phenolic Materials Based on Benzoxazine Chemistry, 1299
Won, C.-Y.
—; Chu, C.-C.: Inulin Polysaccharide Having Pendant Amino Acids: Synthesis and Characterization, 953
Won, M.-S. See Kim, I., 973
Wu, H.
—; Gopala, A.; Harris, F.; Heiden, P.: Investigation of Readily Processable Thermoplastic-Toughened Thermosets. II. Epoxy Toughened Using a Reactive Solvent Approach, 935
—; See Gopala, A., 943
Wu, Q.
—; Gao, Q.; Lin, S.: Effects of Residual and External Alkylaluminum on the Synthesis of Syndiotactic Polystyrene with Cyclopentadienyltitanium Tribenzyloxide–Methylaluminoxane Catalyst, 765
Wu, W.
—; Wang, D.; Ye, C.: Preparation and Characterization of Bismaleimide-Diamine Prepolymers and Their Thermal-Curing Behavior, 2471

Xie, D.
—; Liu, Y.; Xie, H.-Q.: Synthesis and Properties of Unsaturated Polyoxyethylene and Its Graft Copolymers with Styrene, 2417
Xie, H.-Q. See Xie, D., 2417
Xu, H.-J.
—; Yin, J.; He, Y.; Fang, J.-H.; Zhu, Z.-K.; Wang, Z.-G.: Preparation and Properties of Novel Fluorinated Polyimides Based on 2,2′,6,6′-Tetrafluorobenzidine, 1605
Xu, H.-S. See Ju, J.-L., 353
Xu, J. See Wei, Y., 1689
Xu, R.
—; Schreiber, H. P.: Surface Modification Strategies for Multicomponent Polymer Systems—Part V: Interaction States and Mechanical Properties of LLDPE/PVC Blends With Corona-Modified Rutile Pigment, 1597
Xu, W.
—; Bao, J.; Zhang, J.; Shi, M.: Microwave Irradiation Graft Copolymerization of Hydroxyethyl Methacrylate onto Wool Fabrics, 2343
Xue, Q.-J. See Zhang, Z.-Z., 1455

Yamaguchi, M.
Effect of Molecular Structure in Branched Polyethylene on Adhesion Properties with Polypropylene, 457
Yamaura, K.
—; Ideguchi, S.; Tanigami, T.: Gelation of Poly(vinyl alcohol)/Water/Dimethylformamide Solutions and Properties of Dried Films, 1661
Yang, C. See Ying, Y., 1047
Yang, C. Q.
—; Wang, X. : Formation of Five-Membered Cyclic Anhydride Intermediates by Polycarboxylic Acids: Thermal Analysis and Fourier Transform Infrared Spectroscopy, 2711
Yang, C.-Z. See Ju, J.-L., 353
Yang, D. See Wei, Y., 1689
Yang, G.-X. See Liu, X.-Q., 1191
Yang, K. S. See Kim, Y. C., 2187
Yang, L. See Cao, W., 1817
Yang, M.
—; Zhang, L.; Lei, Z.; Ye, P.; Si, J.; Yang, Q.; Wang, Y.: π-Conjugated Soluble Nickel–Polyyne Copolymer: Synthesis and Third-Order Optical Nonlinearity, 1165
Yang, M. S. See McCarthy, T. F., 2211
Yang, Q. See Yang, M., 1165
Yao, S. See Chen, J., 2283
Yasuda, H. K. See Miyama, M., 237
Ye, C. See Wu, W., 2471
Ye, P. See Yang, M., 1165
Yeh, J.-T.
—; Chang, S.-S.; Yen, M.-S.: Ultradrawing Behavior of One- and Two-Stage Drawn Gel Films of Ultrahigh Molecular Weight Polyethylene and Low Molecular Weight Polyethylene Blends, 149
Yen, M.-S. See Yeh, J.-T., 149
Yi, X. See Zou, X., 1561
Yilmazer, Ü. See Bayram, G., 507; Soltani, F., 515
Yin, J. See Xu, H.-J., 1605
Yin, X.
—; Zhang, L.; Li, Z.: Studies on New Ampholytic Cellulose Derivative as Clay-Hydration Inhibitor in Oil Field Drilling Fluid, 921
Ying, Y.
—; Gu, X.; Yang, C.: Abnormal pH Sensitivity of Polyacrylate-Polyurethane Hydrogels, 1047
Ying, Y. See Wei, X., 1621
Yoon, K. H.
—; Lee, H. W.; Park, O. O.: Properties of Poly(ethylene terephthalate) and Maleic Anhydride-Grafted

Polypropylene Blends by Reactive Processing, 389
Yoshikawa, M. See Shinoda, T., 1151
Yoshioka, T.
—; Furukawa, K.; Sato, T.; Okuwaki, A.: Chemical Recyclying of Flexible PVC by Oxygen Oxidation in NaOH Solutions at Elevated Temperatures, 129
Younan, A. F.
—; Abd-El-Messieh, S. L.; Gasser, A. A.: Electrical and Mechanical Properties of Ethylene Propylene Diene Monomer–Chloroprene Rubber Blend Loaded with White and Black Fillers, 2061
Yu, G.
—; Zhang, M. Q.; Zeng, H. M.: Carbon-Black-Filled Polyolefine as a Positive Temperature Coefficient Material: Effect of Composition, Processing, and Filler Treatment, 559
Yu, H.-P. See Li, S.-D., 1779
Yu, X. See Wei, X., 1621
Yu, Y. See Huang, W., 1753; Liu, S., 2371
Yuan, X.-B. See Sheng, J., 805
Yuezhen, W. See Shaosheng, D., 2001

Zagortcheva, M. See Bogdanov, B., 995
Zaichenko, A. S.
—; Voronov, S. A.; Kuzayev, A. I.; Shevchuk, O. M.; Vasilyev, V. P.: The Control of Microstructure & Molecular Weight Distribution of Carbon-Chain Heterofunctional Oligoperoxidic Curing Agents, 2449
Zeng, H. M. See Yu, G., 559
Zeng, Q.
—; Fabrication of Al_2O_3-Coated Carbon Fiber-Reinforced Al-Matrix Composites, 177
Zerbi, G. See Del Zoppo, M., 1311
Zero, K. See McCarthy, T. F., 2211; Murthy, N. S., 2527
Zhang, B. See Liu, R., 7
Zhang, G. See Lang, M., 1427
Zhang, H. See Liu, S., 2371
Zhang, J. See Xu, W., 2343
Zhang, J.-X. See Liu, X.-Q., 1191
Zhang, L.
—; Goh, S. H.; Lee, S. Y.: Miscibility and Phase Behavior of Poly(D,L-lactide)/Poly(*p*-vinylphenol) Blends, 811
—; See Yang, M., 1165; Yin, X., 921
Zhang, M. Q. See Yu, G., 559
Zhang, Z.-Z.
—; Xue, Q.-J.; Liu, W.-M.; Shen, W.-C.: Friction and Wear Characteristics of Copper and Its Compound-Filled PTFE Composites under Oil-Lubricated Conditions, 1455
Zhao, M. See Liu, Y., 1991
Zhao, S. See Liao, B., 2075
Zhao, X. See Tan, S., 907
Zheng, M.
—; Bai, F.; Li, F.; Li, Y.; Zhu, D.: The Interaction Between Conjugated Polymer and Fullerenes, 599
Zhiqian, Z. See Shaosheng, D., 2001
Zhou, E. See Tan, S., 907
Zhu, D. See Zheng, M., 599
Zhu, S. See Briscoe, B., 419
Zhu, Z.-K. See Xu, H.-J., 1605
Zor, S. D. See Okay, O., 567
Zou, X.
—; Yi, X.; Fang, Z.: Preparation and Characteristics of Thin Film with Wear-Resistant Behavior on HDPE Surface Polymerized by C_2H_2–H_2–SiH_4 Plasma, 1561
Zuliani, P. See Del Zoppo, M., 1311

Journal of Applied Polymer Science

Subject Index to Volume 70

Abnormal pH sensitivity, 1047
ABS, 705
Accelerated storage, 1779
Acid-base interaction, 1597
2-Acrylamido-2-methylpropanesulfonic acid, 567
Acrylamido pyrimidines, 211
Acrylates, 2269
Acrylic, 2349
Acrylic acid, 1001, 1027, 2053
Acrylic resin, 367
Acrylonitrile, 2053
Acrylonitrile polymers, 2703
Acrylonitrile-styrene copolymer, 2515
Activation energy, 2371
Additives, 61, 2353
Adhesion, 383, 457, 1669, 2427
Adhesive hardening, 1083
Adhesive strength, 1561
Adhesives, 1769, 2269
Admittance analysis, 2283
Adsorption, 1847, 2487
Adsorption properties, 501
Adsorption property, 7
Agglomeration, 2241
Aging, 985
Aging of insulators, 1221
$AgNO_3$ diffusion, 1759
Al_2O_3, 177
Alcohols, 711
Alginate, 2143
Alkaline hydrolysis, 1939
Alkylcarboxylic, 731
Alloy, 2515, 2521
Allyl ether monomers, 2031
Allyl pyrimidines, 211
α-Amylase, 2627
Aluminium powder, 2427
Amino acids, 953
Amorphous, 1965
Amorphous films, 1465
Amphiphilic block copolymers, 1427
Ampholytic cellulose derivative, 921
Amylopectin, 1795, 2627
Amylopectin-*g*-polyacrylamide, 2619, 2627
Amylose, 1795
AN content, 757
Anhydride, 2711
Anhydrides, 655
Anionic hydrogels, 567
Anisotropic properties, 273
Antioxidant, 449
Aqueous dispersion, 2211
Aqueous GPC-LALLS, 2197
Aqueous organic separations, 2361
Aqueous polymer dispersion, 2075
Aramid polymers, 297
Aromatic amine, 1991
Aromatic anions, 1567
Aromatic-diisocyanate-based waterborne polyurethane, 1621
Atactic polypropylene, 689
Atactic–isotactic sequence, 873
Autoclave-processable, 935
Autocondensation, 1083, 1093

Base-catalyzed oxygen oxidation, 129
Benzenecarboxylic acids, 129
Benzoxazines, 1401, 1413
Benzoyl peroxide, 1701
Beta cyclodextrin, 15
Biodegradable, 2251
Biodegradation, 61, 817, 1503, 2259, 2585
Biomaterials, 953
Biosensor, 1447
Bismaleimide, 529, 2635
Bismaleimide-diamine Michael addition type prepolymers, 2471
Bismaleimides (BMI), 943
Bisphenol A epoxy resin, 2163
Bisphenol-A polycarbonate, 1725
Bisphenols, 2173
Blend, 121, 705
Blends, 39, 75, 185, 995, 1273, 1543, 1589, 1725, 1823, 1829, 1887, 1923, 2081, 2259, 2381, 2515
Block copolymer, 873
Block copolymers, 613, 1349
Blowing agents, 2069
Boundary layer, 2361
Branched macromolecules, 2569
Branched polyethylene, 457
Buckminsterfullerene-C_{60}, 605
Bulk acoustic wave, 2283
Butane, 237
Butanetetracarboxylic acid, 2711
Butylacrylate synthesis, 367

Calcium carbonate, 311
Calcium carbonate, 1717, 2061
Carbon black, 559
Carbon black-filled, TBBS–sulfur-vulcanized *cis*-polyisoprene, 1385
Carbon fibers, 177
Carbon steel, 2507
Carbonization, 2409
Carboxy-terminated polybutadiene, 537
Castor oil, 1649
Castor oil-based polyurethane, 837
Catalyzation, 2463
Cationic polymerization, 629
Cellulose, 2711
Cellulose ethers, 2197
Cellulosics, 195
Ceramic processing, 545
Ceric ammonium sulfate, 523
CF/Al prefabrication, 177
Chain branching, 137
Chain extension, 655
Chain rigidity, 1035
Chain scission, 1239
Chain-connectivity effects, 1273
Char yield, 1877
Charge transfer complex, 599
Chemical compatibility, 2097
Chemical hydrolysis, 61
Chemical metal deposition, 2307
Chemical modification, 2657
Chemical oxidation, 2169
Chemical reaction, 1589
Chemical recycling, 129
Chemical resistance, 2595
Chemiluminescence measurements, 449
Chitosan, 927, 2143
Chlorides, 2173
Chlorinated macroporous adsorbents, 1579
Chloroprene rubber, 2061

Cholesteric liquid crystal, 1465
Cholesterol, 195
Chromocene, 441
Chronoamperometry, 2719
^{13}C-NMR, 637, 675
^{13}C-NMR analysis, 1371
Coal fines, 2619
Coating, 177, 1523, 2283
Coatings, 1769, 2269
Cobaltous chloride modification, 2409
Comb-shaped imide oligomer, 943
Commercial poly(vinyl acetate), 2457
Comonomer and molecular weight distributions, 137
Compatibilization, 1503, 1887, 1923
Compatibilizer, 705, 1001, 2515
Compatibilizers, 75
Composite, 431, 747, 1121
Composite membrane, 647
Composites, 297, 587, 891, 1677, 2427, 2647
Compounding, 2647
Condensation, 689
Conductive blends, 1543
Conductive polymer composites, 1785
Conductivity, 121
Conjugate, 2487
Constrained geometry catalyst technology, 109
Contact angle, 1847
Conversion, 757, 2417, 2679
Copolymer, 15, 367
Copolymerization, 227, 2417
Copolymerized resins, 837
Copolymers, 1893, 2417
Copper, 1977
Copper and its compounds, 1455
Core–shell, 897
Core-shell particles, 2313
Corona treatment, 1597
Corresponding states principle, 697
Cotton, 2711
Cotton fiber, 303
Coupling agent, 431, 1847
Cox–Merz rule, 507
Critical concentration, 149
Critical draw ratio (λ_c), 149
Crosslink density, 2007
Crosslinked blend membranes, 317
Crosslinked chitosan, 501
Crosslinked chitosan-crown ethers, 501
Crosslinked networks, 1111
Crosslinked poly(vinylchloride), 865
Crosslinking, 1551, 1837, 2711
Crosslinking polymer, 965
Crosslinking reactions, 1075
CRYSTAF, 137
Crystalline amorphous, 1965
Crystallinity, 89, 1427
Crystallization, 849, 907, 1677
^{13}C solid-state NMR spectroscopy, 1413
Cure conditions, 2595
Curing, 261, 1413, 2163, 2269
Curing Agents, 2449
Curing kinetics, 1991
Cyclic phosphine oxide tetra acid, 1877
Cyclic siloxane, 629
Cyclic stress, 1633
Cyclic voltammetry, 471, 2719
Cyclohexene, 1209

Data analysis, 831
Degradation, 1643, 2291
Degree of crosslinking, 493
Dehydrochlorination, 129
Density, 1823
Dental cements, 2353
Dental composites, 1689
Depolymerization, 1939
Deposition potential, 2719
Desorption, 39
Devulcanization, 2007
Diazoresin, 1817
Dicumyl peroxide, 1551
Dicyclohexylcarbodiimide (DCC), 953
Dicyclohexylmethane diisocyanate, 2331
Dielectric loss, 441
Differential scanning calorimetry, 1991, 2371, 2703
Differential scanning calorimetry (DSC), 529, 1137, 1939
Diffusion, 23, 545, 1493, 1931, 2069, 2283
Dimensional stability, 1811
Dimethyl dichlorosilane, 655
Direct current cathodic glow discharge, 237
Drawability, 149
Drawdown ratio, 665
Dried *s*-PVA gel films, 1661
Drug delivery, 1947
Drug-carrier, 329
DSC, 137
Dynamic mechanical behavior, 2595
Dynamic mechanical properties, 577, 723
Dynamic mechanical property, 705
Dynamic mechanical thermal analysis, 797
Dynamic viscoelastic property, 457

Elastic recovery, 2349
Elastomeric polypropylene (ELPP), 873
Elastomers with good thermal stability, 2331
Electric, 1437
Electric spin resonance, 1437
Electrical conduction, 203
Electrical resistivity, 559
Electrochromic device, 1955
Electrodeposition, 2479
Electrolysis, 471
Electron beam resists, 1151
Electron microscopy, 1611
Electrostatic powder spray system, 2507
Emulsifier-free emulsion polymerization, 2307
Emulsifying volume, 1427
Emulsion, 2313, 2479
Emulsion copolymerization, 2667
Emulsion polymerization, 897, 2211, 2729
Entanglement networks, 1111
Enthalpy, 731
Enzyme hydrolysis, 2627
Enzyme-catalyzed polymerization, 1257
EPDM, 985, 1173, 2053, 2061
EPON 830, 2539
Epoxidized natural rubber, 723
Epoxy, 943, 1649, 2349, 2539, 2603
Epoxy cresol novolac, 537
Epoxy polymerization, 1859
Epoxy resin, 1159
Epoxy resins, 785, 1769, 2313
Epoxy–amine reactions, 1931
Epoxy–anhydride resins, 1221
Equation-of-state theories, 697
Equilibrium constant, 2521
Equilibrium swelling, 1391
Essential work of fracture, 873
Ester, 731
Esterification, 2657
Esterification of inulin, 953
Ethyl acrylate, 1701
Ethyl polysilicate, 1753
Ethylene, 1707
Ethylene glycol dimethacrylate (EGDM), 837

Ethylene propylene diene (EPDM) blends, 1829
Ethylene vinyl acetate copolymer, 409
Ethylene vinyl acetate (EVA), 1829
Ethylene–propylene diene monomer blends, 805
Ethylene–propylene diene terpolymer, 1
Ethylene–propylene–diene elastomer blend vulcanizates, 2155
Ethylene–styrene copolymers, 109
Ethylene–vinyl alcohol copolymers, 711
Ethylene/1-hexene, 1707
EVA, 409
Extended lattice–fluid model, 1143
Extensions, 2155
External alkyl aluminum, 765
Extrudates, 2187

Fatigue, 1633
Fiber, 747
Fiber diameter, 2439
Fiber structure, 665
Fibers, 303, 1035, 1677
Fillers, 587, 1689
Film formation, 339
Films, 1283
Film/substrate interface, 1283
Fire-retardant paints, 1523
Flame retardancy, 1877, 1959
Flame-retardant coatings, 913
Flexible PVC, 129
Flocculation, 2619
Flow curves, 1009
Fluorescence, 689, 1191
Fluorescence probe, 2499
Fluorescence quenching, 599
Fluorescence structural self-quenching effect, 1191
Fluorinated, 1605
Fluoropolymer, 1201, 1471, 2211
Flynn and Wall isoconversional procedure, 1829
Formamide, 2241
Fourier transform infrared (FTIR) spectroscopy, 1321
Fractionated crystallization, 1725
Fractionation, 613
Fracture mechanics, 873
Freeze–thaw stability, 1621
Friction and wear, 1455
Frictional surfaces, 1455
Frontal polymerization, 2695
FTIR, 161
FTIR spectroscopy, 1221
FTIR-ATR, 1669
Fullerenes, 599

Gamma irradiation, 1471
Gas permeability, 1465
Gas permeation, 23
Gas permselectivity, 1465
Gel content, 865
Gel fraction, 2007
Gel permeation chromatography, 1151
Gel spinning process, 1009
Gelation, 757, 1661
Gels, 1661
Geomembrane, 2097
Glass transition temperature, 797, 1493, 1907, 1991
Glass transition temperatures, 859
Glucose oxidase, 1447
Glyceride, 675
Glycerol, 675
Glycopolymer, 965
Graft copolymer, 1121, 1887
Graft copolymerization, 211, 1001
Graft copolymers, 1795
Graft interpenetrating polymer network, 1649
Graft polymer, 1027
Grafted polymers, 2133
Grafting, 1, 383, 523, 1701, 1977, 2323, 2343, 2603, 2627
Grafting degree, 161
Grafting reactions, 897, 1075

Hard paraffin wax, 1551
Hardness, 2349
HAZ, 89
Heat conductivity, 1523
Heat seal, 2021
Heat-resistant DMMA, 2001
Heavy metal ions, 7
HECA liquid crystalline phase, 1137
Hexamethyldisiloxane, 1753
High density polyethylene coating, 2507
High impact polystyrene, 637
High modulus polyethylene fiber, 465
High solid content, 2667
High-density polyethylene, 1239, 2097
High-resolution solid-state ^{13}C-nuclear magnetic resonance, 1053
High-resolution thermogravimetric analysis, 287
High-speed spinning, 665
Hirudin delivery, 2143
^{1}H-NMR, 675
Homogeneous catalysts, 973
Horseradish peroxidase, 717, 1257
Hot-melt adhesive, 409
HTPB, 1129
Humidity affinity, 1567
Hybrid catalysts, 1707
Hydration inhibitor, 921
Hydrogel, 965, 1947
Hydrogen, 441
Hydrogen bond, 39
Hydrogen bonding, 1299
Hydrogen bonds, 1273
Hydrogenation, 1209
Hydrogen-bonded polymer solutions, 1265
Hydrolysis, 577
Hydrolysis of active esters, 493
Hydrolytic condensation, 1753
Hydrolytic polycondensation, 1837
Hydrophilic surface, 1221
Hydrophobic association, 2499
Hydrophobic–hydrophilic balance, 493
Hydrous pyrolysis, 2291
Hydroxyethyl methacrylate, 2343
Hydroxyfunctional polydimethylsiloxane (HOPDMS), 2235
Hydroxypropyl cellulose, 1465
Hydroxy-terminated polybutadiene, 1483
Hysteresis, 723
Hytrel, 185

Imaging, 1307
Imide oligomer, 935, 943
Imide-modified polyurethane, 1483
Immobilization of polymerizable pyrimidines, 211
Impact modifier, 1611
Impact strength, 705
Impedance spectrum, 353
Improved mechanical properties, 449
Infrared absorbance ratio technique, 1001
Infrared spectroscopy, 537, 2711
Infrared spectrum, 1627
Inhibitive property, 921
In-situ composite fibers, 1035
Interaction parameter, 849
Interchange reactions, 185
Interdiffusion, 2021
Interface, 747
Interfaces, 75
Interfacial tension, 457, 2499

Intermediate, 2711
Internal emulsification, 1621
Internal stress, 1907
Interpenetrating polymer network, 2635
Interpenetrating polymer networks, 287
Interpenetrating polymer networks (IPNs), 529
Interphase bonding, 297
Intrinsic viscosity, 329
Intumescence, 1523
Intumescent fire-retardant coating, 1523
Inulin, 953
Inverse gas chromatography, 711
Ionic conductivity, 1567, 2181
Ionomeric polyblend, 483
IPN, 2603
Iron (III) nitrate, 2353
Irradiation, 2323
Isocyanurate, 675
Isotactic polypropylene, 383
Isotactic polypropylene solution, 849
Isothermal and nonisothermal crystallization kinetics, 2371
Isothermal crystallization behavior, 1893

Jone's reagent, 883
Jute and flax fibers, 843

Ketonic resins, 655
Kinetic model, 1859
Kinetics, 1239
KOH, 2463

Lamellar structure, 2527
Lamination, 1977
Landfill liner, 2097
Latex, 2667
Latex film formation, 1321
Latex films, 339, 1493
Latex technology, 1321
LDPE, 1643, 1977, 2187
Leaching, 2391
Light scattering, 329
Light scattering size exclusion chromatography, 2487
Lignocellulose, 2647
Linear imide thermoplastics, 943
Liquefaction, 1239
Liquid crystalline phase, 1137
Liquid crystalline polymer, 1065, 1611
Liquid crystalline polymers (LCPs), 1035
Liquid rubber, 785
Liquid–liquid equilibria, 1143
Liquid–liquid phase separation, 849
LLDPE films, 23
LLDPE–PVC blends, 1597
Log–normal molecular weight distribution, 1239
Low molecular weight polyethylene (LMWPE), 149
Lower critical solution temperature, 1947
Low-viscosity prepolymer, 935

Macroazo initiator, 613
Macromolecular characters, 493
Macroporous adsorbents, 1579
Magnetic field, 2539
Magnetic polymer microspheres, 2307
Magnetic properties, 1437, 2307
Magnetic property, 717
MA-grafted EPDM, 1589
Maleic anhydride, 1, 383, 389, 1611
Maleic anhydride copolymer, 2487
Maleic anhydride-grafted polypropylene, 389
Mapping, 1307
Mass spectroscopy, 1201
Mathematical approach, 2121
Mathematical modeling, 545
m-digallic acid, 2575
Mechanical and thermal multistress, 859
Mechanical and thermal properties, 865
Mechanical properties, 297, 529, 785, 1121, 1597, 2007, 2121
Mechanical studies, 843
MEH–PPV, 599
Melt condensation, 2471
Melt elasticity, 2187
Melt flow, 995
Melt fracture, 2187
Melt functionalizing, 1
Melt processing, 1985
Melting, 2703
Membrane, 121, 477
Membrane filtration, 219
Membrane materials, 47
Metal ions, 219, 501
Metallocene, 1747
Metallocene catalyst, 765, 1707
Metallocene catalysts, 973
Methane, 237
Methocel™ characterization, 2197
Method of finite molecular weight moments, 1017
Methyl aluminoxane, 973
Methyl aluminum, 765
Methyl methacrylate, 523, 843
Methyl methacrylate/vinylidene chloride (M/V) copolymers, 373
Methylaluminoxane, 765
Methylene dianaline, 2539
Methylmethacrylate, 367, 2323
Micellar polymers, 2499
Micelles, 397
Microdomains, 2457
Microencapsulation, 2143
Microgel, 2241
Microstructure, 1965, 2449
Microwave irradiation, 2343
Miscibility, 185, 261, 771, 777, 811, 2515, 2521
Mixed polyolefin fractions, 2381
$MnCl_2$-filled PVDF, 1437, 1759
Mode I, 873
Mode III, 873
Modeling, 1173, 1677
Modification, 1165
Modified PAN fiber, 2409
Modifiers, 2381
Moisture absorption, 1907
Molecular, 731
Molecular hyperpolarizabilities, 1311
Molecular imprinting, 15
Molecular mechanism of deformation, 247
Molecular mobility, 1385
Molecular orientation and relaxation phenomena, 247
Molecular structure, 161, 2173
Molecular weight, 339
Molecular Weight, 2449
Molecular weight between junction points, 1129
Molecular weight distribution, 973, 1017, 1753
Molecular weight reduction, 1643
Molecularly imprinted polymer, 19
Molten state, 689
Monofilament polyester fibers, 1701
Monomer partitioning, 2041
Monomer swelling, 2041
Monomer vapor pressure, 2041
Morphology, 203, 705, 1649, 1907, 2635
MQ silicone resin, 1753
Multidetector, 831
Multidimensional spectrometry, 1307

Multiphase transformation, 1137
Multiphase-transition process, 1047
Multisized, 2667

N-acryloyl phenothiazine oxide, 1191
Nafion®, 121
Na-light irradiation, 1759
Nanospheres, 397
NaOH solutions, 129
Naphthalene, 1907
Natural rubber, 771, 777, 1779, 2007, 2427
NBR, 353, 985
n-Butyl acrylate, 227
N-cyclohexyl maleimide, 2001
Near-infrared, 1737
Network, 1129, 2569
Network chain density, 1391
Nickel–polyyne copolymer, 1165
N-isopropylacrylamide, 1027
N-methylol nylon-6, 317
NMR spectroscopy, 373
^{15}N-NMR spectroscopy, 1401
Nonequilibrium melting, 1893
Nonisothermal olefin polymerization, 137
Novolac, 1907
Novolac cured epoxy resins, 247
Novolac-type phenolic resin, 1299
Nuclear magnetic resonance imaging (NMRI), 1385
Nuclear magnetic resonance (NMR), 837, 2457
Nuclear magnetic resonance spectroscopy, 1257
Number-average molecular weight, 697
Nylon 6, 1985
Nylon-11, 2371
Nylon-6 block copolymer, 1811
Nylon-6 block copolymer composite, 1811

Oil lubrication, 1455
Oil palm empty fruit bunch, 2647
Oil-in-water emulsions, 2075
Olefin terpolymerization, 1173
α,ω-Oligo(butylmethacrylate)diol, 785 Aluminium nitrate, 2353
Oligodeoxynucleotide, 2487
Oligomer, 731
One- and two-stage drawing process, 149
Optical, 1437
Optical gap, 1759
Optical microscopy, 89
Optimization, 1017, 2007
Organic–inorganic hybrid materials, 1689
Organics, 711
Organosilanes grafting, 865
Organotellurium compound, 449
Organotin compounds, 2235
Orientation, 1785
Orientation-induced crystallization, 665
Oxalic acid, 129
Oxazoline, 1923
Oxidation, 883
Oxidative degradation, 1643
Oxidative polymerization, 717
2-(6-oxido-6H-dibenz⟨c,e⟩⟨1,2⟩ oxaphosphorin-6-yl)-dimethyl itaconate, 1959

PACREL®, 449
Palladium catalysts, 1209
Parallel plate rheometry, 1009
Partial immobilization, 2585
Particle size, 1737
Particle size distribution, 2667
Particle viscosity, 2041
Particulate-filled composite, 311
PCL, 61
PDMS elastomer, 1633
PEEKK, 907
Peel strength, 777, 1977, 2021
PEN, 89
Pendant α,β-unsaturated ketone moiety, 2111
4PEO, 419
Permeability, 1027, 2069
Permeability response, 2133
Permselective membrane, 2227
Permselectivity, 647
Pervaporation, 47, 317, 2361
Perylene, 397
PET, 1965
PET fiber, 2527
Phase behavior, 811
Phase diagrams, 1265
Phase separation, 757
Phase transfer catalytic property, 1427
PHBV, 1121
Phenol–formaldehyde (PF) resins, 1111
Phenolic, 757
Phenolic resins, 1769, 1811
Phenoxy, 185
Phenylenediamine, 717
Phosphorous oxychloride, 655
Photocrosslinking, 2111, 2401, 2575
Photodegradation, 1201, 1221
Photografting, 465
Photon transmission, 339
Photooxidation, 637
Photopolymerization, 373
Photosensitive polymers, 2111
Photosensitized diazoresin, 2401
Physical aging, 907
Plasma polymerization, 203, 1561
Plasma-induced graft polymerization, 359
Plasma-polymerized films, 1283
Plasticized polyvinyl chloride, 2391
Polar adsorbents, 1579
Polarized PVDF films, 859
Polarizing optical microscopy, 195
Polyacids, 1209
Polyacrylamide, 567, 2053, 2241
Poly(acrylaminophosphonic-carboxyl-hydrazide)chelating fiber, 7
Polyacrylate–polyurethane networks, 1047
Poly(acrylic acid), 817
Poly(acrylic acid)/silica composites, 891
Polyacrylonitrile, 359
Poly-α-methystyrene (P-αMS), 1253
Poly(amic acid-*co*-urea), 2401
Polyamides, 1611
Poly(amidesulfonamide)s, 47
Polyaniline, 1447, 1543
Polyarylates, 2173
Polybenzidine film, 2227
Polybenzoxazines, 1299
Polycaprolactone, 2259
Polycarboxylic acids, 2711
Polychloroprene, 1543
Polychlorotrifluoroethylene, 2211
Polycondensation, 1083, 1093, 2235
Polycondensation resins, 1111
Poly(dimethylsiloxane), 1633
Polydispersity, 831, 849
Poly(D,L-lactide), 811
Polyelectrolyte complex, 1817
Polyelectrolytes, 2353
Poly(epichlorhydrine), 2181
Poly(epichlorohydrin-*co*-oxirane), 353
Polyester resin, 675
Poly(ester urethane ureas), 577
Polyesteramide, 1589
Polyether polyurethane–crosslinked epoxy, 2635
Poly(ether urethane ureas), 577
Polyetheretherketone, 477

Poly(ethyl methacrylate), 287
Polyethylene, 109, 441, 559, 1075, 1503, 1717, 1893, 2021, 2081, 2569
Poly(ethylene 2,6-naphthalate), 1065
Poly(ethylene glycol), 883
Polyethylene glycol, 1483, 2143
Poly(ethylene glycol), 2463
Polyethylene oxide, 2181
Poly(ethylene terephthalate), 389, 797, 1065, 1725
Polyethylene terephthalate (PET), 1939
Polyethylene–starch, 2251
Poly(ethylene-*g*-maleic anhydride), 1503
Poly(ethylstyrene-divinylbenzene) copolymers, 1579
Polyflavonoid tannins, 1083, 1093
Poly(glucosyloxyethyl methacrylate), 965
Polyimide, 261, 273, 1605
Polyimides, 4,4′-diaminotriphenylmethane, 1053
Polylactide, 2259
Polymer blend, 2695
Polymer chain orientation, 1985
Polymer compatibility, 2695
Polymer electrolyte, 353
Polymer electrolytes, 2181
Polymer foam, 2069
Polymer gel electrolyte, 1955
Polymer synthesis, 2575
Polymer waste, 689
Polymerizable allyl pyrimidines, 211
Polymerizable photosensitizer, 1191
Polymerizable surfactant, 227
Polymerization, 237, 441, 973, 1707, 2269, 2479
Polymer/metal interaction, 219
Polymer-supported oximes, 493
Polymethacrylates, 1689
Poly(methyl methacrylate), 1627
Polymorphism, 2679
Poly(*N*-isopropylacrylamide), 1947
Polyolefins, 161
Polyoxyethylated amine, 1621
Polyoxyethylene blends, 995
Poly(oxyethylene)-dicarboxylic acids, 883
Polyphenylene ether, 2515, 2521
Polyphosphazene, 2181
Poly(*p*-hydroxybenzoic acid), 1065
Polypropylene, 75, 389, 431, 457, 2081
Polypropylene (PP), 2155
Polypropylene sheets, 2323
Poly(*p*-vinylphenol), 811
Polypyrrole, 647, 1567, 2169
Polysaccharide characterization, 2197
Polysaccharides, 195, 1795
Polysiloxanes, 1837
Poly(sodium styrene sulfonate), 1817
Polystyrene, 697, 1001, 2075, 2291, 2299, 2515, 2521
Polystyrene blends, 805
Polystyrene-acrylonitrile copolymer, 2521
Poly(styrene-ran-acrylonitrile), 757
Polysulfone membrane, 2585
Polythiophene, 203
Polyurethane, 287, 613, 913, 1483, 1669
Polyurethane-crosslinked epoxy, 529
Poly(vinyl acetal)s, 1769
Poly(vinyl acetate), 2457
Poly(vinyl alcohol), 317
Polyvinyl alcohol, 523
Poly(vinyl alcohol), 605, 817, 2657
Polyvinylchloride, 311
Poly(1-substituted pyrrole), 471
Poly(4-*tert*-butyldimethylsilyloxystyrene), 1151
Porous polypropylene, 647
Postcuring, 2331
Potassium persulfate, 1551
Potassium titanate, 431
Preparation, 1605
Pressure, 419, 1747
Pressure sensitive adhesive, 771, 777
Probe tack, 771
Processing, 559
Prooxidant, 2251
Propagating fronts, 2695
Propellant, 1129
Properties, 367, 1779, 2527
Property, 1471, 1605
Propylene, 973
Protective polymers, 1209
Prussian blue, 1955
Pseudomonas, 2585
PTC effect, 559
PTFE composites, 1455
PU prepolymer, 2603
Pullulan characterization, 2197
Push–pull polyenes, 1311
PVA membrane, 2361
PVC, 705, 2463
PVdC emulsions, 2479
2-Pyridine aldoxime–chloride (PAM–Cl), 1837
Pyridinic ligands, 359
Pyrolysis in solution, 2299
Pyrrole, 2169

Quantitative analysis, 675
Quaternary allyl pyrimidines, 211
Quaternary ammonium salts, 2657
Quaternary pyrimidinium salts, 211

Radiation curing, 897
Radiation grafting, 2323
Radical polymerization, 613, 1151
Random copolymers, 47, 1273
Random monomer sequence distribution, 2457
Random polymer chain scission, 2299
γ-Ray radiation, 965
Reaction injection molding, 2679
Reactive blend, 389
Reactive extrusion, 161, 1065, 1923
Reactive fillers, 1811
Reactive processing, 865
Reactive solvent, 935
Reactor control, 1017
Reclaim rubber, 2007
Recovery of low-molecular-weight polymer, 2299
Recrystallized magnesium dichloride support, 1707
Recycle, 2515
Recycling, 2007, 2081, 2381, 2521
Reflection–absorption infrared spectroscopy (RAIR), 1283
Refractive index, 1627, 1823
Refractive index increment, 1253
Reho-optical Fourier-transform near-infrared spectroscopy, 1349
Relaxation, 1785
Relaxation behavior, 859
Relaxation times, 507
Removal of phenol, 2585
Reprocessability, 483
Resin to pigment ratio, 2719
Resins, 837
Response surface methodology (RSM), 2381
Responsive membranes, 2133
Reticulate doping, 1785
Reversibility of orientation, 247
Reversible photoreaction, 605

Revulcanization, 2007
Rheological property, 705
Rheological study, 409
Rheology, 419
Rheooptical FTIR spectroscopy, 247
Rigid rod system, 2163
Rubber, 1371, 1391, 2053
Rubber microstructure, 587
Rutile, 1597

Salts from seawater and sea lye, 995
SAN, 705
SAXS, 2527
Scanning electron microscopy, 637
Seeded emulsion polymerization, 2041
Segmented polyurethane ureas, 2331
Selective permeation, 2227
Self-exchange, 1447
Self-nucleation, 1725
Semicrystalline, 1677
Semi-interpenetrating polymer networks, 19, 261
Semi-interpenetrating polymer networks (semi-IPNs), 837
Semi-IPN, 273
Separation control with potentials, 647
Shear modification, 2187
Silica, 2061, 2291
Silica support, 2487
Silica–alumina catalyst, 629
Silicone, 1633, 1669
Silkworm silk, 2439
Silylated poly(4-hydroxystyrene)s, 1151
Simulation, 2569
Sisal fiber, 1847
Size, 2241
Size exclusion, 831
Size-exclusion chromatography, 329
Slip at the wall, 515
Slip layer thickness, 515
Slip velocity, 515
Sodium dodecyl sulfate, 1817
Sodium-*m*-bisulfite, 2211
Sol–gel, 177
Sol–gel process, 297
Sol–gel processing, 1689
Solid-phase method, 927
Solid-phase synthesis, 2487
Solid-state ^{13}C-NMR measurements, 1391
Solubility, 711, 1493
Solution, 367
Solutions, 1273, 1661
Solvation, 2241
Solvent cast film, 1427
Solvent quality, 419
Solvent-induced crystallization, 2679
Solvents, 1253
Sorption, 317
Spacer groups, 897
Spacing, 1273
Spectrometers, 1307
Spectroscopic techniques, 1359
s-PVA solutions, 1661
Stabilizers, 2323
Starch, 1121, 1503, 1795
Starch-*g*-polyacrylamide, 2619
Statistical analysis, 2181
Stearamide, 1
Steel substrates, 1283
Step-scan photoacoustic (S^2-PAS) FTIR spectroscopy, 1321
Storage modulus, 797
Strain rate, 1717
Stress, 1009, 2155
Structure, 1471, 1779
Structure–property relationships, 1311
Styrene, 2417
Styrene polymerization, 1017
Styrene-butadiene-styrene, 637
Styrene-maleic anhydride copolymers, 2729
Substituents, 471
Sulfobetaine, 227
Sulfonation, 477
Sulfur radicals, 2299
Sulfur-cured natural rubber, 1371
Sunlight, 2269
Superabsorbent polymers, 817
Surface energies, 1597
Surface modification, 359, 465, 2143
Surface properties, 1561
Surface reconstruction, 1669
Surface tension, 697
Surface treatment, 2121
Surface-oxidized carbon black, 723
Surfactant prepolymer, 1621
Surfactant–latex molecular level interactions, 1321
Surfactant-free, 2211
Surfactant-free emulsion polymerization, 227
Suspension, 515
Suspension method, 927
Suspension polymerization, 1737
Suspension rheology, 507, 515
Suspensions, 507
Swelling, 567, 817, 2283, 2427
Swelling theory, 567
Syndiospecific, 973
Syndiospecificity, 973
Syndiotactic polystyrene, 2679
Syndiotactic polystyrene (*s*-PS), 1747
Syndiotactic styrene polymerization, 765
Synergism in properties, 483
Synthesis, 501, 1165

Tackifier, 771, 777
Tangent δ, 797
Technical properties, 985
Technical rubber goods, 985
Teflon AF, 1201
Telechelic polymers, 1483
Temperature, 419, 1299
Temperature dependence of orientation behavior, 247
Temperature-responsive hydrogel, 1027
Tensile properties, 797
Tensile property, 1611
Tensile strength, 1017
Tensile test, 2439
Ternary blend, 1589
Ternary-phase diagrams, 1265
Tertiary-butylhydroperoxide, 2211
Testing, 2097
Tetrabromo-bisphenol-A epoxy resins, 1991
2,2′,6,6′-tetrafluorobenzidine, 1605
Tetrahydrofuran (THF), 1253
Tetramer, 629
Textile finishing, 2711
Thermal analysis, 2711
Thermal degradation, 545, 1371
Thermal gelation, 1947
Thermal properties, 297, 891, 1075, 2001
Thermal property, 705, 2635
Thermal stability, 995, 1567, 1877, 1907, 1991
Thermal-curing behavior, 2471
Thermogravimetric analysis (TGA), 529, 837, 1939
Thermogravimetry, 1829
Thermomechanical analysis, 2163
Thermomechanical analysis (TMA), 1083, 1093, 1111
Thermomechanical properties, 2331
Thermoplastic elastomer, 483
Thermosets, 943
Thermotropic, 195

Thermotropic hydroxyethyl cellulose acetate, 1159
Thermotropic liquid crystalline polymer blend, 1589
Thin film, 261, 273, 1561, 2169
Thin films, 203
Third-order optical nonlinearity, 1165
Time-temperature superposition, 409
Titania, 297
Toluene-2,4-diisocyanate, 655
Toughened epoxy, 935
Toughening, 537, 785, 1159, 2603
Toughness, 1649, 2313
Transition, 2569
Treating condition, 1847
Trichloro modified polyesters, 913
Trimer, 629
Trouser tearing test, 873
True-spiral angles, 303
TTT diagram, 1931
Two-phase dehydrochlorination, 2463
Two-stage, 2041
Two-step functionalization, 689

Ultimate mechanical properties, 1887
Ultradrawing behavior, 149
Ultrahigh molecular weight polyethylene (UMH-WPE), 149
Ultrahigh-modulus polyethylene, 747
Ultrahigh-molecular-weight polyethylene (UHMWPE) gel, 1009
Ultrasonic velocity, 1823
Ultrasound, 2007
Ultraviolet irradiation, 1471
Ultraviolet photoinitiators, 2031
Ultraviolet radiation, 2269
Unperturbed dimensions, 329
Unsaturated polyester resin, 2031
Unsaturated polyoxyethylene (PEO), 2417
Urethanes, 2575
UV radiation, 843
UV/VIS absorption spectroscopy, 2719

Vanadium catalysts, 1173
Vaporization, 731
Vegetable fillers, 2121
Vegetable oil, 2251
Vibrating needle curemeter (VNC), 2235
Vickers indentation, 2349
Vinyl ester resin, 2595
Vinylidene fluoride–hexafluoropropylene copolymer, 121
1-Vinyl imidazole, 1977
Viscoelastic, 2349
Viscoelastic properties, 507
Viscosity, 1823, 1837, 2417, 2499
Vulcanizates, 2155
Vulcanization, 1371, 1391, 2235

Water, 2291
Water, 2391
Water effect, 711
Water sorption, 747
Water uptake, 577
Water-based coatings, 897
Water-soluble nanospheres, 397
Water-soluble polymer characterization, 2197
WAXS, 1785
Wear resistance behavior, 1561
Weibull modulus, 2439
Weight-average molecular weight, 2001
Welding, 89, 2021
Whisker, 431
Wide-angle X-ray scattering, 537
WO_3, 1955
Woodflour composites, 2121
Woolen fabrics, 2343

X-ray, 261
X-ray diffraction, 1437, 1627, 1759
X-ray photoelectron spectroscopy, 1201
X-ray photoelectron spectroscopy (XPS), 1283
X-ray scattering of polymer blends, 805

Yield, 1717
Yield stress, 311
Yielding, 311

Ziegler–Natta catalyst, 1707
Zinc salt of carboxylated nitrile rubber, 483
Zinc salt of maleated HDPE, 483
Zirconocene catalyst, 137
Zwitterionic surfactant, 227